

SUBJECT AND AUTHOR INDEX OF THE MONTHLY WEATHER REVIEW, 1906.

FOR CHRONOLOGICAL INDEX SEE PAGE XVI.

The following rules have been observed by Mr. Frank Owen Stetson, Assistant Editor, and Mr. C. L. Mills in preparing this index:

The meteorological elements most important in determining climate, such as temperature and precipitation, are entered under both the element and the locality, but the following are entered only under their respective headings, and not under the locality: atmospheric electricity, droughts, earthquakes, evaporation, floods, fog, frost, lightning, meteors, optical phenomena, storms of all kinds, temperature of soil and water. Places in the United States are entered under the name of the State; in foreign countries, under the country.

If tables of observations contain but two subjects, e. g., pressure and temperature, each is indexed separately under its proper heading. Tables containing more than two subjects are entered but once (in addition to the entry under location), under the general heading "Observations", except that the following are indexed separately wherever they occur: auroras, drought, evaporation, fog, frost, halos, number of days with precipitation, ozone, radiation, snow, sunshine, temperature of soil and water, thunderstorms, and (under clouds) number of clear, partly cloudy, and cloudy days.

The letters *a*, *b*, *c*, *d* refer to the 1st, 2d, 3d, and 4th quarters of the page, respectively. The length of articles covering more than one column is given to the nearest whole page. A star (*) preceding a page number shows that not more than three or four lines are devoted to the subject on that page. A dagger (†) indicates that the phenomenon described is especially noteworthy.

The following abbreviations are used: *Q.*, "quoted"; *p.*, "page" or "pages"; for the calendar months, *Ja.*, *F.*, *Mr.*, *Ap.*, *My.*, *Je.*, *Jl.*, *Ag.*, *S.*, *O.*, *N.*, *D.*

To aid the student of the weather of any particular month or period, references to phenomena printed in any Review other than that representing the month in which the phenomena occurred are given in the chronological index of special phenomena appended hereto.

Abbe, Cleveland.

- Astronomy versus meteorology*, 378 *b*.
- Atmospheric effects in astronomical observations, 1 *p.*, 117.
- Can we argue from the climate back to the orography? 163.
- Cap cloud, the, 457 *a*.
- Changes of latitude and climate, 2 *p.*, 559.
- Clayden's "Cloud Studies," 580.
- Cloud banners, 158.
- Colors of dust haze, 163.
- Convection theory of whirlwinds, 1 *p.*, 164.
- Diurnal variation of the barometer, 161.
- Drought and atmospheric electricity, 1 *p.*, 121.
- Educational notes, 426 *d*.
- Eighth International Geographic Congress, [list of meteorological papers in report of], (C. Abbe), 118.
- Hailstones, suggestions to observers of, 278.
- Indexing of marine reports, 159.
- Krakatoa dust *versus* Krakatoa vapor, 163.
- Land and sea winds, 1 *p.*, 460.
- Lectures on meteorology 84.
- Legitimate line of duty, 118.
- Life and works of James P. Espy, 83.
- Mean annual rainfall map of New South Wales, 73.
- Meteorological Institute of Saxony, 228.
- Meteorology in Austria, 1 *p.*, 519.
- Meteorology in German universities, 226.
- Monthly Weather Review, back numbers of, *224.
- Mountain stations for forecast work, 520 *b*.
- Nephological Review, 158.
- Note on balloon observations, 414 *c*.
- Note on lunar rainbows, 518 *c*.
- Opportunities of the weather service, 120.

Abbe, Cleveland—Continued.

- Organization of federal department of meteorology in Australia, 280 *a*.
- Origin of our cold waves, the, 518 *a*.
- Phenological study, 224.
- Philadelphia, Pa., important old local weather record for, 26.
- Popular meteorological lectures in England, 427 *b*.
- Premature publication, 1 *p.*, 463.
- Pressure and rainfall over the Indian monsoon area, 1 *p.*, 161.
- Progress of meteorology in Australia, 328 *d*.
- Province of the Monthly Weather Review, 160.
- Publication of river gage readings, 82.
- Publication of the Chicago memoirs, 159.
- Rainy or snowy weather as foretold by halos, 423 *c*.
- Reprints of works on meteorology, 462 *d*.
- Snow formed by mixture of warm and cold air, 78.
- Storm and hurricane insurance in the West Indies, 158.
- Structure of hailstones, 109.
- Tornado in Australia, 227.
- Vincent's "Bibliography of Treatises on Meteorology," 162.
- Warmth of December, 1905, 159.
- West Indian chart, 224.
- Where are the old records of Haiti? 126.
- Zodiacal light, is it meteorological or astronomical? 131.
- Abbe, Jr., Cleveland. Q. on climate of Alaska, 275 *b*.
- Abbott, S. W. [Waterspout of August 19, 1896], 312 *c*.
- Abnormal weather over southern Texas (J. L. Cline), 458.
- Abyssinia. Precipitation in, relation to Nile flood and east African pressure and monsoon, 228 *c*.
- Adiabatic changes. Application of the thermodynamic formulas to the nonadiabatic atmosphere (F. H. Bigelow), 7 *p.*, 110.
- Adiabatic rate of cooling, 576 *d*.
- Adiabatic rate of heating or cooling, 562 *c*.
- Aerial observations. Aero clubs and meteorology. (Ascensions made by members of the Aero Club of America), 2 *p.*, 280.
- Pilot balloons and the upper winds (F. O. Hills), 414 *b*.
- Atlantic Ocean. Temperature to 1000 meters. Bigelow's observations, 110 *b*.
- Temperature to 5000 meters. Hergesell's observations, 110 *a*.
- Blue Hill. Temperature falls in high and low areas, 10, 11, 15.
- Denmark. Hail. Temperature falls in high and low areas, 12, 13, 15.
- Germany. Berlin. Temperature falls in high and low areas, 12, 13, 15.
- Virginia. Mount Weather. Kite flight of April 5, 1906, at Mount Weather Observatory, to 9000 feet; pressure, temperature, humidity, and wind (O. L. Fassig), 1 *p.* 125.
- West Indies. Bahamas. Mean temperature at Nassau, to 1000 meters, *110 *a*.
- Aero Club of America. Ascensions made by the, 2 *p.*, 280.
- Aeronautical observatories. German aerial research station [Brief note], 116.
- Aerophysical observatory. Appeal for, in Japan (S. T. Tamura), 2 *p.*, 28.
- Africa. See also Abyssinia, British East Africa, German East Africa, Gold Coast Colony, Kamerun, Liberia, Nigeria, Nyasaland, Togo. Fogs of Ruwenzori, 374 *d*.
- Meteorological stations, 425 *c*.
- Air. Coefficient of resistance, 474 *b*.
- Coefficient of viscosity, 474 *b*.
- Saturated, weight of, 578 *d*.
- Air currents. See Winds.
- Alabama.
- Mobile. Barogram of September 26–28, 1906, 422 *b*.
- Hurricane of September 23–27, 1906, 420 *d*.
- Alaska. Climate of, 275 *b*.
- Precipitation. Current record. In Table II, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.
- Snow. Current record. In Table II, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.
- Temperature. Current record. In Table II, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.
- Extremes, *275 *c*.
- Orca. Excessive 24-hour precipitation, *275 *c*.
- Unalaska. Greatest number of rainy days, *275 *c*.
- Alexander, E. P. [Hurricane of September 23–27, 1906], 422 *d*.
- Alexander, William H. Climatology of Porto Rico from 1867 to 1905, inclusive, 8 *p.*, 315.
- Alfaro, Anastasio. Observations at the National Observatory, San José, 60 *a*, 156 *c*, 305, 355.
- Altitude. Altitude of stations; elevation of barometer above sea level. In Table I, 40, 89, 137, 181, 234, 286, 336, 384, 433, 485, 537, 589, 621.

Altitude—Continued.

Improved methods for finding altitude and azimuth, geographical position, and the variation of the compass; second article ("X"), 2 p., 7.

Anemometers. Elevation above ground. *In Table I*, 40, 89, 137, 181, 234, 286, 336, 384, 433, 485, 537, 589.

Annual Report of the Chief of the Weather Bureau, 8 p., 609.

Anse-à-Veau. *See West Indies, Haiti.*

Antarctic Regions. [Source of warm southerly winds] (C. Markham), 163.

Anthropoclimatology. Slight effect of excessive heat upon the inhabitants of central Australia, 327 d.

Anticyclones. *See also Cyclones and anticyclones.*

Horizontal convection in, 562.

Movement. Tracks of centers of high areas, Chart II, Ja.-D.

Aqueous vapor. Absorptive effect on light rays, 408 a.

Critical temperature and pressure of, *168 b.

Glaisher's factors and Ferrel's psychrometric formula (C. F. Marvin), 3 p., 209.

Maximum pressure at temperatures above 100° C, 168 b, Plate I, fig. 5, Ap.

Weight of, 579 a.

Arizona. Precipitation in. *See Salton Sea and the rainfall of the Southwest.* (A. J. Henry), 2 p., 557.

Yuma. Relative humidity, 558 d.

Winds. General direction and force, 558 c.

Arkansas River. Hydrographs of. Chart I, Ja.-D.

Asia. *See also China, India, Persia, Russia, Siberia, Turkish Empire.*

Climate of central Asia, 229 a.

The Asiatic railroads and the progress of meteorology, 326 d.

Asia Minor.

Merzifoun. Observations, 1904 and 1905, 403.

Astronomy versus meteorology (C. Abbe), 378 b.

Atlantic Ocean. Aerial observations. Temperature to 1000 meters.

Bigelow's observations, 110 b.

Temperature to 5000 meters. Hergesell's observations, 110 a.

Atlas. Climatological, of India, 374 c.

Atmosphere. Atmosphere and the soil, the (M. Whitney), 416 b.

Atmospheric effects in astronomical observation [diffraction phenomena; heterogeneous atmospheric masses] (C. Abbe) 1 p., 117.

Height of, determined by disappearance of blue color of sky after sunset (T. J. J. See) 414 a.

Height of, method of determining from disappearance of twilight, 574 d.

Mass of, method of determining, 574 b.

Augustin, Fr. [Rainfall at Prague], 424 d.

Auroras. Color phenomena; altitude, 19 d.

Effect of, on electrical conditions of the atmosphere, not detected, 19 a.

Influence of, on electrical condition of the lower atmosphere not determined, 17 b.

Periodicity of, not required by theory of solar influence, 160 b.

Villard's theory of (W. R. Blair), 2 p., 572.

Norway. Karasjok. Notes on, S.-1903—O.-1904, 1 p., 19 d.

West Indies. Haiti. 1780, *71 c.

Australia. *See also New South Wales.*

Meteorology. Organization of federal department, 280 a, 328 d.

Lake Eyre. Slight effect of excessive heat upon inhabitants, 327 d.

Austria. K. k. Maritimes Observatory, Trieste. Title of, 228 a.

Meteorology in (C. Abbe), 1 p., 519.

Pressure, mean atmospheric, 519 b.

Hermsburg. Precipitation, 522 b.

Austria-Hungary. Precipitation in the North German river basins, 328 b.

Prague. Normal rainfall, 424 d.

Trieste. Temperature, 425 a.

Azimuth. Improved methods for finding altitude and azimuth, geographical position, and the variation of the compass ("X").

Second article, 2 p., 7.

Azores. International weather cablegrams (E. B. G[arriott]), 408 b.

Bacon, Marshal L. Waterspout near Tarrytown, N. Y., July 16, 1904, 2 p., 272.

Bad-i-sad-o-bist roz. *See Persia.* Seistan.

Ball, Frank Morris. Present day climates in their time relation, 4 p., 201.

Balloon ascensions. Ascensions made by the Aero Club of America, 2 p., 280.

Balloons. Pilot balloons and the upper winds (F. O. Hills), 414 b.

Barnes, H. T. On the formation of anchor ice, or ground ice, at the bottom of running water, 2 p., 465.

Barnes, H. T., and C. H. McLeod. Records of the difference of temperature between Mount Royal and McGill College Observatory, and a method of local temperature forecasting, 5 p., 505.

Barograph. A new form of precision (C. F. Marvin), 324.

Barometer. *See also Pressure.*

Aneroid. Conditions which affect the stability of, (C. F. Marvin), 324 d.

Barometer—Continued.

Correction for temperature, method of determining, 576 a.

Elevation of; above sea level. *In Table I*, 40, 89, 137, 181, 234, 286, 336, 384, 433, 485, 537, 589, 621.

Bartlett, J. L. The study of practise forecasting, 3 p., 523.

Basseterre. *See West Indies, St. Kitts.*

Beals, E[dward] A. Portland forecast district, 32 d, 86 d, 133 a, 176 b, 230 c, 283 b, 332 d, 381 c, 430 a, 481 a, 532 b, 584 d.

San Francisco forecast district, 176 b.

Behrens, Lieutenant. [Fogs of Ruwenzori], 374 d.

Beirut. *See Turkish Empire.*

Belgium. Precipitation in the North German river basins, 328 b.

Belize. *See Honduras.*

Bennett, W. J. Harmonic analysis of the diurnal barometric curve at Washington, D. C., 3 p., 528.

Bentley, Wilson A. Snow rollers (with photographs), 325.

Bering Sea. Low area as a "center of action", 22 d.

Bermuda. *See also Canada, observations.*

International weather cablegrams. (E. B. G[arriott]), 408 b.

Hamilton. Resultant wind direction in Table III, 54, 103, 150, 195,

248, 300, 350.

Berry, James. Climatological summary, 33, 87, 134, 178, 231, 285, 333, 383, 432, 482, 536, 588.

Mr. T. S. Outram. Obituary notice, 561 d.

Bezold, William von. [Reprint of works of], 463 a.

Bibliography. Vincent's bibliography of treatises on meteorology (C. Abbe), 162.

Bigelow, Frank Hagar. Aerial observations by, 110 a.

Chicago forecast district, 531 d, 584 c.

Studies on the thermodynamics of the atmosphere:

I Asymmetric cyclones and anticyclones in Europe and North America, 9.

II Coordination of the velocity, temperature, and pressure in the cyclones and anticyclones of Europe and North America, 74.

III Application of the thermodynamic formulae to the nonadiabatic atmosphere, 110.

IV Numerical computations in the vertical ordinate, 265.

V The horizontal convection in cyclones and anticyclones, 562.

VI The waterspout seen off Cottage City, Mass., in Vineyard Sound on August 19, 1896, 307.

VII, VIII, and IX The meteorological conditions associated with the Cottage City waterspout, 360, 470, 511.

Bindley, R. G. Severe hailstorm in the Gulf of Mexico, 226.

Bishop's Ring. Cause of, *164 a.

Blachly, C. P. Halo of March, 1906, 124 b.

Blagden, J. D. [Waterspout of Ag. 19, 1896], *309 c.

Blair, William R. Villard's theory of the aurora, 2 p., 572.

Blue color of sky. Height of atmosphere determined from disappearance of, after sunset, 414 a.

Bombarde. *See West Indies, Haiti.*

Bouzon, J. Where are the old records of Haiti? 126.

Bowie, Edward H. Q. on movement of cyclones, 209 b.

Relation between storm movement and pressure distribution, 3 p., 61.

Brandenburg, Frederick H. Denver forecast district, 32 c, 86 c, 132 d, 176 b, 230 b, 283 a, 332 c, 381 b, 429 d, 480 d, 532 a, 584 c.

Relation of the weather to the flow of streams, 1 p., 405.

British Colonies. Publication of climatological returns, 423 d.

East Africa. Climate of, 462 a.

British Isles. Publication of climatological returns, 424 c.

Brockway, B. L. [Hurricane of S. 23-27, 1906], 422 c.

Brückner, Ed. Q. on precipitation, 161 b.

Buildings, owned by U. S. Weather Bureau, 615 a.

Rented, occupied wholly by U. S. Weather Bureau, 615 b.

Burns, P. H. Hailstorm in the Bahamas, 84 c.

Cablegrams. International weather, 408 a.

California. Relation of forests to rainfall [especially in California] (W. F. Hubbard), 2 p., with forest map of California, 24.

Sonora storms and clouds in, 464.

Campo. Precipitation, *464 c.

Salton Sink. Salton sea and the rainfall of the Southwest, 557.

San Diego. Winds, direction of, as affected by contiguous areas of land and water, 410.

San Francisco. Winds, direction of, as affected by contiguous areas of land and water, 410.

Calkins, R. D. Snow rollers at Mount Pleasant, Mich., 1 p., 326.

Campbell, Archibald. Sonora storms and Sonora clouds of California [with photograph] 1 p., 464.

Canada. Observations. (Current record, temperature, pressure, precipitation, snowfall.) *In Table V*, 56, 105, 152, 197, 250, 302, 353, 400, 450, 501, 552, 604; *Table IV*, 625.

Precipitation. [Monthly summary.] *In Weather of the Month*, 37, 88,

135, 179, 232, 284, 334, 382, 431, 483, 534, 586.

Temperature. [Monthly summary.] *In Weather of the Month*, 37, 88, 135, 179, 232, 284, 334, 382, 431, 483, 534, 586.

Canada—Continued.

St. John. Temperature and precipitation, including snowfall. (Current record) Table II, 52, 101, 149, 193, 247, 299, 348, 396, 445, 497, 549, 601.
Toronto. Winds, direction, as affected by contiguous areas of land and water, 410.
Canóvanas. See West Indies, Porto Rico.
Cap Francais. See Cap Haitien.
Cap Haitien. See West Indies, Haiti.
Carbonell, Luis G. [Hurricane of October, 1906], 479 b.
Caroline Islands.
Kusaie. Rainfall of, 276 a.
Yap. New stations in, 276 a.
C[arroll], D. J. Heck, George J. Obituary notice of, 329 c.
Cavaillon. See West Indies, Haiti.
"Centers of action." See Pressure, centers of action.
Central America. See also Costa Rica, Honduras, Nicaragua, Panama.
Central Physical Observatory. International weather cablegrams, 408 a.
Chamberlin, J. N. [Waterspout of August 19, 1896], 309 d, 313 b.
Chamberlin, T. C. Q. on glacial epochs, 203 d.
Changes of latitude and climate (C. Abbe), 2 p., 559.
Channon, Irving. Location of station at Kusaie, 276 b.
Charts. Description of tables and charts, 38, *88, *136, *180, *233, *285, *385, *388, *432, *484, *536, *588.
West Indian (C. Abbe), 224.
Cherra Punji. See India.
Chicago memoirs. Publication of (C. Abbe), 159.
China. Meteorological work in (C. F. Talman), 1 p., 225.
Weather maps, the first daily, 376 d.
Chrystal, G. Seiche and its mechanical explanation (abstract by H. Ebert), 236.
Church, Jr., J. E. Mount Rose weather observatory, 8 p., 255.
Church, J. P. Mr. R. F. deGrain. Obituary notice of, 175.
Classification of climates [R. DeC. Ward], 416 c.
Clayden, Arthur W. [Cloud Studies], 580.
On the conditions determining the formation of cloud-spheres and photospheres, 3 p., 167, Plate I, Ap.
Clayton, Henry Helm. A rare cumulus cloud of lenticular form, 1 p., 456.
The international symbols, 357 a.
Clear sky. (Monthly summary), Chart V, Ja.—D.. and Annual Summary.
Climate. Can we argue from the climate back to the orography? (C. Abbe), 163.
Geological. Present day climates in their time relation (F. M. Ball), 4 p., 201.
Importance of weather types in climatology, 229 a.
Influence of small bodies of water on local climate, 558 b.
Influence of water areas in northern Norway, 18 d.
Invariability. Stability of present day climates, 201 a.
Monthly review of the progress of climatology thruout the world (C. F. Talman), 228, 275, 326, 374, 423, 461, 521.
Not changed by man, *460 a.
Secular changes, 559.
Asia Minor. Merzifoun, 403.
British Colonies. Publication of climatological returns, 423 d.
British East Africa, 462 a.
British Isles. Publication of climatological returns, 424 c.
Kansas. Notes on, 1 p., 579.
Liberia, 521 c.
Nebraska. Geography of Nebraska (G. E. Condra), 521 d.
Nigeria. Climatological work in northern Nigeria, 375 d.
Norway. Finnmark. Brief notes, 18 c.
Philippines. Climatological reports, 517 d.
West Indies. Haiti. Climatology of Haiti in the eighteenth century (C. F. Talman), 9 p., 64.
Porto Rico. Climatology of Porto Rico from 1867 to 1905 (William H. Alexander), 8 p., 315.
Climates. Classification of (R. DeC. Ward), 416 c.
Do they change? (R. DeC. Ward), 459 c.
Climatology. See Climate.
Climatology of the United States. Bulletin Q (A. J. Henry). [Note by C. F. Talman], 376 a.
Cline, I. M. New Orleans forecast district, 32 a, 86 a, 132 c, 176 b, 230 b, 282 d, 332 b, 381 a, 429 c, 480 c, 531 c, 584.
Cline, Joseph L. Abnormal weather over southern Texas, 458.
Cloudburst.
Virginia. Guinea, 407 d.
Cloudiness.
United States. Cloudiness. Monthly and annual departure from normal, 628.
Monthly summary of cloudiness. In Weather of the Month, 38, 88, 136, 180, 233, 284, 335, 388, 431, 484, 535, 587.
Number of clear, partly cloudy, and cloudy days. In Table I, 40, 89, 137, 181, 234, 286, 336, 384, 433, 485, 537, 589, 621.
Clouds. Cap clouds, 457 c.
Cloud banners (C. Abbe; G. N. Salisbury), 158.

Clouds—Continued.

Cloud Studies (A. W. Clayden), 1 p., 580.
Lenticular cumulus, rare form of (with photographs), 1 p., 456.
Mushroom clouds, 457 d.
Nephological Review (C. Abbe), 158.
On the conditions determining the formation of cloud spheres and photospheres (A. W. Clayden), 3 p., 167, Plate I, Ap.
Relation between clouds and subsequent weather, 581 c.
Sonora clouds, 464.
Thunderclouds (J. P. Gibson), 31 c.
Umbrella clouds, 457 d.
Waterspout clouds, cause of (F. H. Bigelow), 369 a.
Cold waves. Origin of, 518 d.
Colors. See Optical phenomena.
Compass. Improved method for finding altitude and azimuth, geographical position, and the variation of the compass, second article ("X"), 2 p., 7.
Condensation. Condensation theory of convection currents, 370 c.
Congresses. See also International Geographic Congress.
Connecticut.
New Haven. Winds, direction of, as affected by contiguous areas of land and water, 410.
Constants. Four systems of constants for the atmosphere (F. H. Bigelow), 2 p., 115.
Contents, table of. p. iii.
Convection.
Convection theory of whirlwinds (C. Abbe), 1 p., 164.
Horizontal, in cyclones and anticyclones, 10 p., 562.
Vertical, due to overflow of warm upon cold currents (F. H. Bigelow), 369 d.
Vertical, due to surface heating (F. H. Bigelow), 369 a.
Cooke, W. Ernest. Forecasts and verifications in western Australia, 23.
Weighting forecasts, 1 p., 274.
Coolidge, Baldwin. [Waterspout of August 19, 1896 (photographs)], 313 b.
Cool waves.
Texas. Corpus Christi, 458 d.
Corona.
Lunar. Tampa, Fla., *518 b.
Coronas. Cause of (J. M. Pernter), 358 b.
Corrigenda, 85, 131, 429. iv.
Cosmic relations of the atmosphere (C. Abbe), 160.
Costa Rica.
Sum José. Observations (current record), 60, 156, 305, 355.
Sunshine (current record), 60 c, 156 d, 355 d.
Cotton. Attempts to cultivate in Haiti in 1777, *66 c.
Cousins, H. H. Furnishes data from Jamaica, 60, 156, 200, 253, 305, 356, 404, 449, 503, 555.
Cox, H. J. Chicago forecast district, 32 a, 86 b, 132 c, 176 a, 230 b, 282 d, 480 d.
Croll. Q. on glacial epochs, 203 a.
Cumberland River. Hydrographs of, Chart I, Ja.—D.
Cycles. See Periodicity.
Cyclones. See also Cyclones and anticyclones.
Formation and development. Convection theory of whirlwinds (C. Abbe), 1 p., 164.
Horizontal convection in, 562.
Maintaining cause, 164 d.
Movement. Method of predicting the movement of tropical (M. Hall), 3 p., 165, Plate I, Ap.
Relation between storm movement and pressure distribution (E. H. Bowie), 3 p., 61.
Relation between velocities of progression of lows and the areas of rising and falling pressure accompanying them (S. Hanzlik), 5 p., 205.
Tracks of centers of low areas. Chart III, Ja.—D.
Primary cause of, (F. H. Bigelow), 370 a.
Tornadoes should be distinguished from, 165 b.
Cyclones and anticyclones.
Asymmetric cyclones and anticyclones in Europe and America (F. H. Bigelow), 11 p., 9.
Coordination of the velocity, temperature, and pressure in the cyclones and anticyclones of Europe and North America (F. H. Bigelow), 4 p., 74.
Numerical computations in the vertical ordinate (F. H. Bigelow), 7 p., 265.
Three general theories regarding the formation of (F. H. Bigelow), 1 p., 265.
Dallas, W. L. Pressure and rainfall over the Indian monsoon area, 1 p., 161.
Damage by storms.
Florida. Pensacola, 420 b.
Danckelman, A. von. [Rainfall of Togo (West Africa)], 425 a.
Danger line. Term "flood stage" substituted for, *283 d.
Davis, T. H. The direction of local winds as affected by contiguous areas of land and water, 4 p., 410.

- Day, P[reston] C. General climatic conditions [for 1906], 617.
 Weather of the Month (monthly summary), 179, 232, 283, 333, 381, 430, 483, 533, 585.
- Debundja. *See* Kamerun.
- Decades. Division of months into (G. Eiffel), 359 d.
- de Grain, R. F. Obituary notice of (J. P. C[hurch]), 175.
- Denson, Lee A. Tornado at Meridian, Miss., March 2, 1906, 1 p., 118.
- Dew-point. [Determination of] (C. F. Marvin), 1 p., 211.
- Diffraction. Atmospheric effects in astronomical observations [diffraction phenomena; heterogeneous atmospheric masses] (C. Abbe), 1 p., 117.
- Distribution of climatological stations thruout the world, 374 a.
- Dodge, —. [Waterspout of August 19, 1896, (photograph)], 313 b.
- Douglass, A. E. (Zodiacal light) 409 a.
- Drought. Drought and atmospheric electricity (C. Abbe), 1 p., 121.
- Kansas. Drought of 1860, 580 b.
- Roumania. 424 d.
- West Indies. Haiti.
 1726, *+68 a, *71 d.
 1743, *68 a.
 1744, *69 c.
 1753-54, *68 a.
 1757, *68 a.
 1764, *68 a, *71 c.
 1769, *68 a.
 1772-73, *+69 a, *+71 d.
 1774, *68 a.
 1776, *66 c, *68 a.
 1777, *+69 c.
 1778-79, *68 a.
 1779-80, *+69 b.
 1780-81, *68 a.
 1781, *71 d.
 1782, *71 d.
 1783, *+70 a.
 1785, *72 c.
 1785-86, *+66 a, *+68 a.
- Dulles, John W. Old Philadelphia weather record furnished by, 26 a.
- Dust. Effect of, on condensation, 455 c.
- Krakatoa dust *versus* Krakatoa vapor (C. Abbe), 163.
- Duststorms. *See* Sandstorms.
- Dwight, Wm. B. [Waterspout of August 19, 1896.] 309 d.
- Earthquakes. Record of, for 1906, 2 p. (C. F. Marvin), 618.
 Costa Rica. 60 c, 156 d, 305 b, 355 d.
- West Indies. Haiti. 1770. *+70 c.
- Ebert, H. Instrument of, for determining ionization, 18 b.
- Seiche and its mechanical explanation (abstract of G. Chrystal's memoir), 226.
- Eclipse. Observations of shadow bands without an eclipse (C. F. Talmann) 1 p., 227.
- Eddy, dynamic, theory of convection currents, 370 c.
- Egypt. Observations. How published, 163 a.
- Eiffel, G. Letter concerning "Etudes Pratiques", 359.
- Ekholm, N. Q. on pressure-change charts, 205 a.
- Electricity.
- Atmospheric. Atmospheric electricity (G. C. Simpson), 2 p., 16.
 - Atmospheric electricity in high latitudes [Lapland], (G. C. Simpson), 2 p., 18.
 - Dissipation from the earth's surface measured, 18 b.
 - Drought and atmospheric electricity (C. Abbe), 1 p., 121.
 - Collapse of a hollow lightning rod, 510 c.
 - Villard's theory of the aurora (W. F. Blair), 2 p., 572.
- Electrons. Motion of, 572 b.
- Eliot, Sir John. Author of climatological atlas of India, 374 c.
- Elster and Geitel. Apparatus of, for determining electric dissipation, 18 b.
- England. Halos. Observations of, 573 d.
- International weather cablegrams (E. B. G[arriott]), 408 b.
- Popular meteorological lectures [W. Marriott], 427 b.
- Erman, Adolf. Obituary notice of (W. Erman), 1 p., 414.
- Erman, Wilhelm. Professor Adolf Erman, 1 p., 414.
- Espy, James P. Life and work of (C. Abbe; Mrs. L. M. Morehead), 1 p., 83.
- Etudes Pratiques. Comment on (G. Eiffel), 359.
- Europe. *See also* Austria, Austria-Hungary, Azores, Belgium, British Isles, England, France, Germany, Iceland, Ireland, Netherlands, Norway, Portugal, Roumania, Russia, Scotland, Sicily.
- Cyclones and anticyclones. Coordination of velocity, temperature, and pressure in the cyclones of Europe and North America (F. H. Bigelow), 4 p., 73.
- Evans, Edward A. Climatological data for Virginia, 460 a.
- Phenomenal rainfall at Guinea, Va., 406.
- Evaporation.
- Of ice, 526.
- Evaporation—*Continued*.
- Proportional to surface exposed, 527 d.
 - Costa Rica. San José (current record), 60 c, 305 b, 355 d.
 - West Indies. Haiti. Petite-Anse, 1784-85, * 67 b c.
- Evaporimeters. *See* Evaporometers.
- Evaporometers. Note on [Wade, Wild, and Piche (B. F. E. Keeling)], 1 p., 157.
- Examinations for promotion in the Weather Bureau during 1906, 614 b.
- Farnham, Amos W. Schedule of topics in meteorology, 85 c.
- Fassig, O[Iiver] L[anard]. Aerial observations by, * 110 a.
- Kite flight of April 5, 1906, at Mount Weather Observatory, 1 p., 125.
- Ferguson, George H. Halo of March, 1906, 123 d.
- Finnmark. *See* Norway.
- Flood stage. "Danger line" replaced by, * 283 d.
- Floods. *See also* Rivers and floods.
- Height of rivers; extreme and mean stages, with danger line or flood stage. In Table VI, 57, 106, 153, 198, 251, 303, 353, 400, 450, 501, 552, 604; Table V, 625.
 - Grand River of Michigan, Ja., 1906, 33 a.
 - Ohio River, N., 1906, 533 c.
 - Sacramento River, Cal., Ja., 1906, 33 a.
 - Tennessee River, Ja., 1906, 32 d, N., 1906, 532 d.
 - Yazoo River, Miss., D., 1906, 585 a.
 - Kansas. Early records, 579 d.
 - Virginia, Ja., 1906, * 33 a.
 - Washington, N., 1906, 531 a.
 - West Indies. Haiti. 1716, O., *71 b c. 1724, Jl., *71 b c. 1733, * 69 c. 1761, *+72 a.
- Flora, Snowden D. Halo of March, 1906, 124 d.
- Florida.
- Pensacola. Barogram of S. 26-28, 1906, 422 a.
 - Damage by storms, 420 b.
 - Hurricane of September 23-27, 1906, 419 b.
 - Tampa. Hurricane of September 23-27, 1906, 418 d.
 - Lunar rainbow, 518 b.
- Fogs. Of Ruwenzori, 374 d.
- West Indies. Porto Rico, 316 d.
- Forecasting. Method of local temperature forecasting, 506 a.
- Study of practise, (J. L. Bartlett), 3 p., 523.
- Forecasts. Distribution, 610 c.
- Empirical rules should be published, 209 b.
 - Forecasts and Warnings. (Monthly summary.) 31, 85, 131, 175, 229, 282, 332, 380, 429, 478, 531, 583. (Annual Summary), 617.
 - Long range. New departure in forecasting, 116.
 - Possible extension of the periods of weather forecasts. [Correlation of American weather and pressure distribution at the "centers of action".] (E. B. Garriott), 1 p., 22.
 - Method of predicting the movement of tropical cyclones (M. Hall), 3 p., 165.
 - Mountain stations for forecast work (C. Abbe), 520 b.
 - Relation between storm movement and pressure distribution (E. H. Bowie), 3 p., 61.
 - Relations between velocities of progression of lows and the area of rising and falling pressure accompanying them (S. Hanzlik), 5 p., 205.
 - Storm warnings. Extension to wireless stations, 610 b.
 - Value. Flood warnings, * 33 a.
 - In cranberry district of Massachusetts, 479 a.
 - In West Indian hurricane, 417 c.
 - To garden and trucking interests, 610 c.
 - Verification. Forecasts and verifications in western Australia (W. Ernest Cooke, with note by E. B. Garriott), 23.
 - Weighting forecasts (W. Ernest Cooke), 1 p., 274.
 - Forests. Relation of, to rainfall [especially in California], (W. F. Hubbard), 2 p., 24.
 - Formulae. Application of the thermodynamic formulae to the non-adiabatic atmosphere (F. H. Bigelow) 7 p., 110.
 - France. International weather cablegrams (E. B. G[arriott]), 408 b.
 - Precipitation. Precipitation in the North German river basins, 328 b.
 - Frankenfield, H[arry] C[rawford]. Chicago forecast district, 381 b, 429 d.
 - Rivers and floods (monthly summary), 32, 86 d, 133, 176, 230, 283, 532, 585; (Annual Summary), 617.
 - Frequency values. "Scheitelwerte" in climatic tables, 275 d.
 - Frost. Glazed. The international symbol for (H. H. Clayton), 357 b.
 - Protection against. Prevention of damage by frost (R. P. Skinner), 1 p., 79. - Frostwork. The international symbol for (H. H. Clayton), 357 c.
 - Gambaga. *See* Gold Coast Colony.
 - Garrett, E. H. and John B. [Waterspout of August 19, 1896], 312 b.
 - Garriott, E[dward] B[ennett]. Forecasts and Warnings (monthly summary), 31, 85, 131, 175, 229, 282, 332, 380, 429, 478.
 - International weather cablegrams, 408 a.
 - Note on the phraseology of forecasts, 24 b.
 - Possible extension of the period of weather forecasts, 1 p., 22.

- Garriott, E[dward] B[ennett]—Continued.
 Rivers and floods (monthly summary), 332, 381, 430, 481.
 The West Indian hurricanes of September, 1906 [with photographs], 7 p., 416.
- Gas. Illuminating. Effect upon vegetation, 416 c.
- Gegenschein. The zodiacal light (A. Searle), 408.
- Geitel. See Elster and Geitel.
- General circulation of the atmosphere. Application of the thermodynamic formulae to the nonadiabatic atmosphere (F. H. Bigelow), 7 p., 110.
- Geographic Congress. See International Geographic Congress.
- Georgia. Savannah. Winds. Direction of, as affected by contiguous areas of land and water, 410.
- Gerland, G. The International Seismological Association, 377 d.
- German East Africa. Heidke's description of stations in, 229 c.
- German New Guinea. Tumi. Heavy annual precipitation, *+276 b.
- Germany. International weather cablegrams (E. B. G[arriott]), 408 b.
 Precipitation. Excessive, 328 d.
 Precipitation in the North German river basins, 328 b.
 Temperature. Variability in northern Germany, 425 b.
- Gheury, M. E. T. Observations of halos in England, 573 d.
- Gibelli, Egidio. [Hurricane of October, 1905], 1 b.
- Gibson, J. P. Tornadoes, hailstones, thunderclouds, 30.
- Givre. The international symbol for (H. H. Clayton), 357 c.
- Gjesvoer. See Norway.
- Glace de fond. See Ice, anchor.
- Glacial Epochs. See Climate, Geological.
 Conditions causing glaciers, 560 c.
- Glaisher's factors and Ferrel's psychrometric formula (C. F. Marvin), 3 p., 209.
- Glattelis. The international symbol for (H. H. Clayton), 357 b.
- Gold Coast Colony. Meteorological stations, 425 c.
- Gambaga. Precipitation, 522 b.
- Goode, J. Paul. Use of the lantern in teaching meteorology, 2 p., 263.
- Grand Turk. See West Indies.
- Grapes. Average of vintage dates at Dijon, France, 202.
- Gray, Richard W. Snow formed by mixture of warm and cold air, 78.
- Green sun of the Krakatoa eruption, 408 a.
- Gregory, J. W. [Lake Eyre expedition: Effects of excessive heat upon inhabitants of Australia], 327 d.
- Greytown. See Nicaragua.
- Ground gru. See Ice, anchor.
- Grundelis. See Ice, anchor.
- Guam. New stations in, 276 a.
- Guinea. See also German New Guinea.
- Gulf Stream. Erroneous ideas concerning, 465.
 No influence on weather of New York, 465 b.
- Guthe, K. E. Photoelectric properties of selenium cells, 1 p., 223.
- Gutiérrez, Pedro Nolasco. Costa Rican data prepared by, 60 a.
- Hail. Building of, 514 b.
 Literature concerning, 514 b.
 Physical structure of, 514 d.
- West Indies. Porto Rico, 316 d.
- Hailstones [formation of] (J. P. Gibson), 31 a.
 Probable vertical air velocities, sustaining, 478 d.
 Structure of hailstones (E. S. Webster; C. Abbe), 1 p., 109; (D. S. Landis; W. Smith), 1 p., 277.
 Suggestions to observers of (C. Abbe), 278.
 Theories of formation of, 515 b.
- Hailstorms. Severe hailstorm in the Gulf of Mexico (R. G. Bindley), 226.
- Florida. Pensacola. Mr. 28, 1906. Severe hailstorm at Pensacola, Fla. (W. F. Reed, jr.), 122.
- United States. [Frequency of] (C. Abbe), 84 c.
- West Indies. Bahamas. F. 14, 1906 (P. H. Burns), 84 c.
- Haiti. Je. 17, 1783, *+65 d.
 Boucassin, My. 30, 1786, *, †, 70 a.
 Croix des Bouquets, Ag. 12, 1789, *, †, 70 b.
 Fond-Baptiste, My. 1, 1787, *, †, 70 a.
- Haiti. See West Indies.
 Where are the old records of (C. Abbe, J. Bouzon), 126.
- Hall, Maxwell. Method of predicting the movement of tropical cyclones, 3 p., 165, Plate I, Ap.
- Zodiacal light, 4 p., 126.
- Hallet, E. K. [Waterspout of August 19, 1896 (photograph)], 313 b.
- Halos. As a means of foretelling rainy or snowy weather (C. Abbe), 423 c; (M. E. T. Gheury), 573 d.
 Cause of (J. M. Pernter), 358 a.
- Halos of March 1–4, 1906 (D. L. Holmes, J. B. Willsea, G. H. Ferguson, C. P. Blachly, S. D. Flora), 2 p., 123.
- England. Observations of, 573 d.
- Hamilton. See Bermuda.
- Hanes, E. B. [Waterspout of August 19, 1896], 312 a.
- Hann, Julius. Hawaiian mountain records [desired], 222 d.
 "Hann-Band." Climatology in the, 424 c.
- Hanzlik, Stanislav. Relations between velocities of progression of lows and the areas of rising and falling pressure accompanying them, 5 p., 205.
- Hardin, H. P. [Hurricane of October, 1906], 479 c.
- Harmattan. White haze from, 163 b.
- Harris, R[ollin] A[rthur]. Early knowledge of the tides at Panama, 1 p., 80.
- Hartwell, F. E. [Hurricane of October, 1906], 479 b.
- Harvard College. Meteorology as a requirement for admission, 218 d.
- Hatfield. Attempted rain making by, 84 d.
- Hawaii. Hawaiian mountain records [desired], (J. Hann), 222.
 Honolulu. Daily record, 59, 108, 155, 200, 253, 305, 356, 402, 452, 504, 555, 607.
- Hazen, John S. [Hurricane of September 23–27, 1906], 418 d.
 Lunar rainbow at Tampa, Fla., 518 b.
- Heat. Interior, of earth, 575 a, c.
- Heck, George J. Obituary notice of, (D. J. C[arroll]), 329 c.
- Hedin, Sven. Observations by, in Tibet, 229 a.
- Heidke, P. Description by of stations in German East Africa, 229 c.
- Height of atmosphere. Determined by disappearance of blue color of sky after sunset, (T. J. J. See), 414 a.
- Heilgenscheines. Explanation of [J. M. Pernter], 358 b.
- Hellmann, G. [Precipitation in the North German river basins], 328 b.
- Henry, Alfred Judson. Chicago forecast district, 332 b.
 [Climatology of the United States], 376 a.
 Forecasts and warnings (monthly summary), 531, 583.
 Salton Sea and the rainfall of the Southwest, 2 p., 557.
- Hepites, St. C. [Droughts in Roumania], 424 d.
- Hergesell, H. Aerial observations by, 110 a.
- Hermsburg. See Austria.
- Hildebrandsson, H. H. Charts by, showing subpermanent areas of high and low pressure, 162 b.
- Hills, F. O. Pilot balloons and the upper winds, 414 b.
- Holmes, David L. Halo of March, 1906, 123 a.
- Honduras.
- Belize. Precipitation, 422 a.
- Hongkong Observatory. [China coast meteorological register], 376 b.
- Horne, (Capt.). [Hurricane of October, 1905], 3 c.
- Hourvari. Winds preceding thunderstorms in Haiti, 72 c.
- Hubbard, W. F. Relation of forests to rainfall, 2 p., 24.
- Humidity. See also Aerial observations, Aqueous vapor.
 Meteorological conditions associated with the Cottage City waterspout (F. H. Bigelow), 360.
- Hunt, H. A. Abnormal April temperatures in New South Wales, 225.
- Hurricanes. Cyclonic storm of October 6–12, 1905, in the North Atlantic Ocean (James Page), 6 p., 1.
- Primary cause of (F. H. Bigelow), 370 a.
- Source of, 164 d.
- Storm and hurricane insurance in the West Indies (C. Abbe), 158.
- West Indies. 1906, S., 7 p., 416.
 Tracks of centers, Chart IX, S.
 1906, O., 478 b.
- Haiti.
- 1680, Ag., *+68 a.
 1680, Ag., *+71 d, *72 b.
 1737, S., *+72 a.
 1741, S., *72 a.
 1751, Jl., *70 c d.
 1751, S., *70 c, *72 a b.
 1754, S., *72 b.
 1756, S., *72 b.
 1765, N., *+68 a.
 1772, Ag., *66 a.
 1772, Ag., *72 b.
 1772, S., *72 d.
 1775, Ag., *72 b d.
 1781, S., *72 d.
 1788, Ag., 70 c d, *72 b.
- Jamaica. 1880, Ag., 167 a.
 1886, Ag., 165 d.
 1903, Ag., 165 c.
- Porto Rico. Distribution of rainfall over the Island of Porto Rico during the passage of the hurricane of August 8, 1899. 316 d, Chart VIII, Jl.
- St. Thomas. 1867, O., 166 b.
- Hydrographs for seven principal rivers. Chart I, Ja.–D.
- Ice. Anchor, formation of, 465.
- Bottom. See Ice, anchor.
- Crystals, orientation of, in producing halos and coronæ. [J. M. Pernter], 357 d.
- Evaporation of, 526.
- Frazil, 466 c.
- Ground. See Ice, anchor.
- Lapped. See Ice, anchor.
- Iceland. Location of meteorological stations, 461 c.

- Illinois.
Chicago. Winds, direction, as affected by contiguous areas of land and water, 410.
 Indexes. Indexing of marine reports [logs, by the Deutsche Seewarte] (C. Abbe), 159.
 India. Climatological atlas of, 374 c.
 Pressure. Eliot's charts, 374 d.
 Temperature. Eliot's charts, 374 d.
Cherra Punji. Heavy annual rainfall, *+276 b.
Lalakhal. Heavy annual rainfall, *+276 b.
Mâlcompeith. Heavy annual rainfall, 276 b.
 Insolation. Amount, 575 d.
 Intensity, 575 d.
 Instruction in meteorology. Educational notes, 218, 426.
 Extent to which meteorology is taught in the schools, 612 d.
 In Massachusetts State Normal School, 218 d.
 In the New York State Normal School, at Oswego, 85.
 Lantern slides for illustration in the study and teaching of meteorology. [Geographic Society of Chicago], 280 a.
 Lectures on meteorology (C. Abbe), 84.
 Meteorology in German universities, 226.
 Problems for students, 574.
 Suggestions as to teaching the science of the weather (J. Warren Smith), 4 p., 453.
 Syllabus of course at Williams College (W. I. Milham), 426 d.
 Use of the lantern in teaching meteorology (J. Paul Goode), 2 p., 263.
 Weather Bureau men as educators, 29, 82, 125, 174, 217, 278, 332, 426, 467, 520, 581.
 Instruction by Alciatore, H. F., *125 a, 218 b. Alter, J. Cecil, 467 b.
 Ashenberger, A., 29 c. Bassler, S. S., *29 c, 82 d. Beals, E. A., *125 a. Belden, W. S., *426 c. Blystone, M. E., *581 d. Blythe, W. T., 174 d. Bowie, E. H., 218 b. Brand, A., *29 c. Brist, F. W., 29 c. Buell, A., 29 c. Carpenter, F. A., *218 b. Cline, J. L., 278 b, 426 b. Conger, N. B., 29 d, *174 d, *581 d. Connor, P., *82 d, 278 c, *581 d. Cox, H. J., 29 d, 174 d. Cuthbertson, D., *174 d. Daingerfield, L. H., *125 a, *467 c. Fallon, W. H., 29 d. Fuller, M. L., 82 d, 426 b c. Hass-Hagen, G., 332 a. Landis, D. S., 30 a. Loveland, G. A., *30 a, 82 d. McAdie, A. G., *83 c. Mitchell, A. J., *125 a. Noyes, G. H., 83 c. Oberholzer, G. R., 83 a. Outram, T. S., *125 a. Reeder, George, 217 d. Richardson, H. W., 30 a, 83 a, 426 c, *467 b, *581 d. Salisbury, G. N., 83 b. Sanford, M. R., 218 b, *426 c. Schoppe, W. J. A., 30 a. Seeley, D. A., *278 c. Shaw, W. A., 218 a. Sherier, J. M., *218 c. Slaughter, J. P., 30 a. Smith, J. Warren, 30 b, 426 d, *467 c, *581 d. Smyth, P. H., 30 b, 426 d, *467 c. Spencer, J. H., *30 b, 83 b. Stewart, C., 30 b. Stewart, W. P., *30 c, 83 b. Taylor, N. R., *332 c. Thieszen, A. H., 30 c, 218 b, 278 c. Todd, G. T., *175 a. von Herrmann, C. F., *125 a. Walz, F. J., *125 a, *175 a, *218 c. Weeks, J. R., 30 c. Wells, E. L., 30 c, *426 d. Williams, F. T., *467 c. Wilson, W. M., 426 a. Young, R. F., 30 d.
 Instruction in the Charles City College, *82 d. Cornell University, 426 a. Corpus Christi High School, 426 a. Helena High School, 30 d. North Carolina State College, 218 b. Norwich University, 218 a. Ohio State University, 30 b. St. Lawrence University, 426 b. Syracuse University, 218 b, 426 c. University of Missouri, 217 d. Washington State University, *83 b.
 Instruments. *See also* Barographs, Seismographs, Sunshine Recorders, Thermometers.
 Electrical, for determining ionization of the atmosphere, 18 b.
 For measuring dissipation from earth's surface, 18 b.
 Elevation of, at regular stations. *In Table I*, 40, 89, 137, 181, 234, 286, 336, 384, 433, 485, 537, 589, 621.
 Instrument shelters. Mount Rose shelter, 255 c.
 Insurance. Storm and hurricane insurance in the West Indies (C. Abbe), 158.
 International Geographic Congress. Eighth [list of meteorological papers in report of] (C. Abbe), 118.
 International Meteorological Congress. Chicago meeting, 1893. Publication of the report of, 159 c.
 International weather cablegrams, 408 a.
 Ions. Atmospheric electricity [ionization of atmosphere] (G. C. Simpson), 2 p., 16.
 Instruments for determining ionization of the atmosphere, 18 b.
 Negative ions as nuclei of condensation, *17 b.
 Possible causes of, 121 c.
 Ireland. International weather cablegrams (E. B. G[arriott]), 408 b.
 Isostasy. Theory of, 560 b.
 Isthmian Canal Commission. Meteorological work of, 276 c.
 Jamaica. *See* West Indies.
 Japan. Appeal for aero-physical observatory in Japan (S. T. Tamura), 2 p., 28.
 Japanese Weather Service. Meteorological work in China [by] (C. F. Talman), 1 p., 225.
 Jennings, T. B. Notes on the climate of Kansas, 1 p., 579.
 Jones, E. L. Ascensions made by the Aero Club of America, 2 p., 280.
 Jones, G. (Zodiacal light), 409 a.
 Jones, W. M. [Heavy rainfall at Guinea, Va.], 406 b.
 Journals. *See* Publications.
 Jouye, [Benjamin A.] [Protection against frost in France], 80 a.
 Kaiser, Maximilian. [Review of "Land and Sea Winds of the Baltic Coast of Germany"], 460.
 Kamerun.
Debundja. Heavy annual rainfall, *+276 b.
 Kansas. Climate. Notes on, 1 p., 579.
 Drought of 1860, 580 b.
 Karasjok. *See* Norway.
 Keeling, B. F. E. Note on evaporimeters, 1 p., 157.
 Kentucky. Earliest snow, 480 c.
 Kimball, Herbert H[arvey]. Kodaikanal solar physics observatory, 2 p., 220.
 Recent additions to the Weather Bureau library, 26, 81, 119, 174, 219, 278, 380, 427, 467, 522, 582.
 Recent papers bearing on meteorology, 27, 81, 120, 173, 219, 279, 378, 428, 468, 522, 582.
 Kitao, Diro. [Reprint of mathematical works of], 462 d.
 Kodaikanal Observatory. Kodaikanal solar physics observatory (H. H. Kimball), 2 p., 220.
 Koeppen's Law. *209 c.
 Korself. Q. on diurnal variation of pressure, 161 a.
 Kostliyy, Stanislav. [On the climate of Beirut], 327 c.
 Krakatoa. Krakatoa dust versus Krakatoa vapor (C. Abbe), 163.
 Krakatoa eruption. Green sun of, 408 a.
 Kränze. *See* Coronas.
 Kremser, V. [Temperature variability in northern Germany], 425 b.
 Kusale. Rainfall of, 276 a.
 Ladrone Islands.
Guam. New stations in, 276 a.
 Lakes. Influence of small bodies of water on local climate, 558 b.
 Lalakhal. *See* India.
 Land and sea winds of the Baltic coast of Germany [Dr. M. Kaiser], 1 p., 460.
 Landis, D. S. Structure of hailstones, 1 p., 277.
 Lantern slides. Lantern slides for illustration in the study and teaching of meteorology [Geographic Society of Chicago], 280 a.
 Use of the lantern in teaching meteorology (J. Paul Goode), 2 p., 263.
 Latitude. Change of, 559.
 Laughlin, E. O. Destructive local storm near Paris, Ill., 220.
 Le Borgne. *See* West Indies, Haiti.
 Legitimate line of duty (C. Abbe), 118.
 Lenticular cumulus clouds, 456.
 Léogâne. *See* West Indies, Haiti.
 Le Trou. *See* West Indies, Haiti.
 Liberia. Climatology of, 521 c.
 Library of U. S. Weather Bureau, 612 b.
 Lightning. Ball or globe. Nature of, unknown, *17 d.
 Lightning rod. Collapse of, 510 c.
 Local storms. *See also* Thunderstorms.
 Logs. Index of, prepared by the Deutsche Seewarte, 159 a.
 Louisiana.
New Orleans. Hurricane of September 23-27, 1906, 418 d.
 Pressure. Barogram of September 26-28, 1906, 419 a.
 Tornado. October 5, 1906, 479 a.
 Lowell, Percival. Effect of so-called air waves in astronomical observations, 117 d.
 Lyons, H. G. Hydrological investigation by, of the Nile Valley, 228 d. [Scope of meteorological publications of the Egyptian Survey Department], 163.
 Magnetism. Periodicity of magnetic phenomena not required by theory of solar influence, 160 b.
 Maine.
Eastport. Direction of winds as affected by contiguous areas of land and water, 410.
 Mâlcompeith. *See* India.
 Manissadjian, J. J. Climatological data for Merzifoun, Asia Minor, for the years 1904 and 1905, 403.
 Maps. Chinese weather, 376 b.
 Precipitation. Mean annual rainfall map of New South Wales, 73.
 Marchand, E. (Zodiacal light), 409 a.
 Markham, Sir Clements R. [Source of warm winds in Antarctic], 163 c.
 Marvin, Charles Frederick. A new form of precision barograph, 1 p., 324. Distant earthquakes recorded at the Weather Bureau during the year 1906, 2 p., 618.
 Glaisher's factors and Ferrel's psychrometric formula, 3 p., 209.
 Seismographs with mechanical registration, improvements in, 5 p., 212.
 Mass of the atmosphere, method of determining, 574 b.

- Massachusetts.**
- Boston.* Direction of winds as affected by contiguous areas of land and water, 410.
- Waterspouts.* The waterspout seen off Cottage City, Mass., in Vineyard Sound, on August 19, 1896 (with photographs), 8 p., 307.
- Mazelle, Eduard.* [Temperature of Trieste], 425 a.
- McAdie, A. G.* San Francisco forecast district, 32 c, 86 c, 132 d, 230 c, 283 a, 332 c, 381 b, 430 a, 481 a, 532 b, 584 c.
- McGill University.* Temperature records, 505.
- McLeod, C. A., and H. T. Barnes.* Records of the difference of temperature between Mount Royal and McGill College Observatory, and a method of local temperature forecasting, 5 p., 505.
- McMahon, Sir Henry.* [Winds of Seistan], *462 c.
- Merzifoun.* See Asia Minor.
- Messina Observatory,* 374.
- Meteorological information.* Distribution of, 611 a.
- Services.* See Weather Services.
- Meteorology.* See also Instruction in meteorology.
- Asiatic railroads and the progress of meteorology, 326 d.
- Astronomy versus meteorology (C. Abbe), 378 b.
- In German universities (C. Abbe), 226.
- Meteorological work in China (C. F. Talman), 1 p., 225.
- Methods of teaching, 453.
- Popular lectures in England [W. Marriott], 427 b.
- Problems for students, 574.
- Australia.* Organization of federal bureau in (C. Abbe), 328 d.
- Organization of federal department in, 280 a.
- Austria.* Annual report of K. K. Centralanstalt, 519 b.
- Egypt.* Manner of publishing observations (H. G. Lyons), 163.
- Mexico.* Observations. N., 1905-Ja., 1906, 156.
- Michigan.*
- Marquette.* Direction of winds as affected by contiguous areas of land and water, 410.
- Milham, Willis I.* [Instruction in meteorology], 426 d.
- Variation in temperature over a limited area, 3 p., 370.
- Minnesota.*
- Minneapolis.* Precipitation, 1866-1901. Ten-year means, 201 d.
- Temperature. Five-year averages at Fort Snelling and St. Paul, 1822-1901, 201 d.
- Mississippi River.* Hydrographs of. Chart I, Ja.-D.
- Missouri River.* Hydrographs of. Chart I, Ja.-D.
- Mitchell, A. J.* [Hurricane of October, 1906], 480 a.
- Mitchell, F. C.* The evaporation of ice, 1 p., 526.
- Monsoon.* *Africa.* Abyssinian rainfall, as an index of, *228 d.
- Pressure and rainfall over the Indian monsoon area (W. L. Dallas; C. Abbe) 1 p., 161.
- Monthly Weather Review.* Back numbers of (C. Abbe), *224.
- Data on which the Review is based and Standard Time used. First page of each number.
- Province of (C. Abbe), 1 p., 160.
- Moon.* Age of, at high storm tides, 423 b.
- Time of moonrise and moonset [graphic method of computing] (W. F. Rigge), 2 p., 20.
- Moore, Willis L[uther].* Report of the Chief of the Weather Bureau for the fiscal year ending June 30, 1906, 8 p., 609.
- Morehead, Mrs. L. M.* Life and work of James P. Espy, 83.
- Mountains.* See also Rainier, Mount; Rose, Mount.
- Hawaiian mountain records [desired] (J. Hann), 222.
- Mountain stations for forecast work (C. Abbe), 520 b.
- Ruwenzori. Fogs of, 374 d.
- Mount Royal.* Temperature records, 505.
- Mount Weather Research Observatory,* 611 d.
- Kite flight of April 5, 1906, at, (O. L. Fassig), 1 p., 125.
- Nebraska.*
- Climate. [Geography of Nebraska (G. E. Condra)], 521 d.
- Neifert, W. W.* [Waterspout of August 19, 1896], 307 d, 309 b.
- Nephological Review (C. Abbe) 158.
- Nephology. See Clouds.
- Netherlands. Precipitation, 522 a.
- New Brunswick.* See Canada, St. John.
- New Guinea.* See German New Guinea.
- New South Wales.* Precipitation. Mean annual rainfall map of (C. Abbe), 73.
- Temperature. Abnormal April temperatures in (H. A. Hunt), 225.
- Newtonian theorem, 471 a.
- New York.* Direction of winds, as affected by contiguous areas of land and water, 410.
- Nicaragua.*
- Bluefields.* Temperature and precipitation (current record). In Table II, 194, 247, 299, 348, 396, 445, 497, 549, 601.
- Greytown.* Heavy annual precipitation, *†276 b.
- Nigeria.* Precipitation. Deficient in 1904, 375 d.
- Nile River.* Rainfall in the basin of, 228 b.
- Noble, Andrew.* Q. on tornadoes in Australia, 227 d.
- Nomenclature. Cyclones distinguished from tornadoes, 165 b.
- North America.* See also Alaska, West Indies.
- Cyclones and anticyclones. Coordination of velocity, temperature, and pressure in the cyclones and anticyclones of Europe and North America (F. H. Bigelow), 4 p., 74.
- North, Crandall J.* [Waterspout of August 19, 1896], 312 c.
- Norway.*
- Finnmark.* Climatological notes, 18 c.
- Gjæsvoer.* Mean winter temperature, *18 d.
- Karasjok.* Mean winter temperature, *18 d.
- Nyasaland.* Precipitation. Normal annual rainfall, 375 d.
- Oberholzer, G[eorge] A.* Tornado of June 6, 1906, near La Crosse, Wis., 1 p., 274.
- Observations.* See also Precipitation, temperature.
- Reports by wireless telegraphy, 609 d.
- Asia Minor.* Merzifoun, 1904 and 1905, 403.
- Canada.* (Current record, temperature, precipitation, snowfall, pressure.) In Table V, 56, 105, 152, 197, 250, 302, 353, 400, 450, 501, 552, 604; Table IV, 625.
- China.* List of stations established by Japanese weather service, 225 a.
- Costa Rica.* San José. (Current record), 60, 156, 305, 355.
- Egypt.* How published, 163 a.
- Hawaii.* Honolulu. Daily record, 59, 108, 155, 200, 253, 305, 356, 402, 452, 504, 555, 607.
- Mexico.* November, 1905-January, 1906, 156.
- Pennsylvania.* Philadelphia. Important old local weather record for, [with table for January, 1807.] (C. Abbe), 26.
- United States.* Current monthly record. In Table I, 40, 89, 137, 181, 234, 286, 336, 384, 433, 485, 537, 589; annual record, 621.
- West Indies.*
- Haiti.* Petite-Anse. Brief summary, 1784-86, 67 b.
- Observatories.* See also aero-physical, Hongkong, Kodiakánal, Messina, Rose (Mount), Strassburg, Trieste, Zi-ka-wei observatories.
- Observatory Buildings.* U. S. Weather Bureau, 614 d.
- Ocean Meteorology.* Division of, in U. S. Weather Bureau, 611 c.
- Indexing of marine reports (C. Abbe), 159.
- Ohio River.* Hydrographs of. Chart I, Ja.-D.
- Ohio.*
- Cleveland.* Direction of winds as affected by contiguous areas of land and water, 410.
- Olivares, José de.* [Hurricane of October, 1906], 480 a.
- Opportunities of the weather service (C. Abbe), 120.
- Optical Phenomena.* See also Bishops Ring, Coronas, Diffraction, Halos, Rainbows, Sunsets, Zodiacal light.
- Colors of dust haze (C. Abbe), 163.
- Green sun of the Krakatoa eruption, 408 a.
- Optics.* Meteorological. Of Prof. J. M. Pernter, 2 p., 357.
- Orientation of ice crystals in producing halos and coronas. [J. M. Pernter], 357 d.
- Orography.* Can we argue from the climate back to the orography? (C. Abbe), 163.
- Outram, Thomas S.* Obituary notice of. J[ames] B[erry], 561 d.
- [Tornadoes of June 6, 1906, in Minnesota and Wisconsin], 561 c.
- Oviedo y Valdez.* Q. on tides, 80 d.
- Page, James.* Cyclonic storm of October 6-12, 1905, in the North Atlantic Ocean, 6 p., 1.
- P[age], J[ames].* Has the Gulf Stream any influence on the weather of New York City? 465 b.
- Panama.* New stations in the canal zone, 276 c.
- Tides at, early knowledge of (R. A. Harris), 80.
- Ancon and Naos.* Observations. (Current record.) In Table I, 183, 236, 288, 338, 386.
- Payne, Christopher H.* [Hurricane of September 1, 1906], 417 c.
- Pennsylvania.*
- Philadelphia.* Important old local weather record for [with table for January, 1807], (C. Abbe), 26.
- Mean temperatures, by periods, 1758-1889, 202 a.
- Periodicity.*
- Periodicity of auroras, magnetic and other phenomena not necessary to theory of solar influence, 160 b.
- Pressure and rainfall over the Indian monsoon area [periodic and irregular changes in], (W. L. Dallas), [not established; extra-terrestrial influences in climatic phenomena unimportant], (C. Abbe) 1 p., 161.
- Perla.* See West Indies, Porto Rico.
- Pernter, J. M.* [The meteorological optics of], (R. W. Wood), 2 p., 357.
- Persia.*
- Seistan.* Winds, Bad-i-sad-o-bist roz, 462 c.
- Petite-Anse. See Haiti.
- Phenology.* Phenological study (E. N. Transeau; C. Abbe), 224 c.
- Philippines.* Climatological reports, 517 d.

Photographs.

- Lenticular cumulus clouds, 458.
 Meteorological Observatory of the Collège St. Martial, Port au Prince, Haiti, 521.
 Pensacola, Fla. Effects of hurricane of September 23-27, 1906, 420, 421.
 Snow rollers, 326 a.
 Sonora cloud, 464.
 Tornado at Stafford, Kans., 276 d.
 Waterspout at Cottage City, Mass. Plates I-X, Jl.
 Photospheres. On the conditions determining the formation of cloud spheres and photospheres (A. W. Clayden) 3 p., 167, Plate I, Ap.
 Physics. Physical societies and journals (C. Abbe), 1 p., 329.
 Plants must breathe. (M. Whitney), 416 b.
 Poincaré, A. Q. on motion of tropical high pressure areas, 162.
 Pollard, J. A. [Collapse of a hollow lightning rod], 510 c.
 Port Margot. See West Indies, Haiti.
 Porto Rico. See West Indies.
 Portugal. International weather cablegrams (E. B. Garriott), 408 b.
 Prague. See Austria-Hungary.
 Precipitation and pressure.
 Abyssinian rainfall and pressure in northeastern Africa, 228 d.
 Precipitation. See also Hail, Rain, Sleet, Snow.
 Artificial. Fake rain maker [appropriation for, by the Yukon Council], 84.
 Cause. Snow formed by mixture of warm and cold air (R. W. Gray: C. Abbe), 78.
 Drought and atmospheric electricity (C. Abbe), 1 p., 121.
 Excessive. Accumulated amount for each five minutes, for certain storms. In Table IV, 55, 104, 151, 196, 249, 301, 350, 398, 448, 500, 551, 603.
 Explanation of table (F. O. Stetson), 416 a.
 Places of heaviest annual, 276 b.
 Alaska. Daily, *†275 c.
 California. Hourly, *464 c.
 German New Guinea. Annual, *†276 b.
 Germany. Hourly amounts, table of, 328 d.
 Haiti. Daily, *†72 a.
 Monthly, *†68 a.
 Monthly, *68 c.
 Monthly, *71 d.
 India. Annual, *†276 b.
 Kamerun. Annual, *†276 b.
 Nicaragua. Annual, *†276 b.
 Porto Rico. Canóvanas. 1889-1905, 319 b.
 Virginia. Hourly, †406.
 Flow of streams, relation to, 405.
 Influence of the ocean upon continental (F. O. Stetson), 161.
 Maximum falling velocity for rain in the lower atmosphere, 511 a.
 Negative ions as nuclei of condensation, *17 b.
 Periodicity. Pressure and rainfall over the Indian monsoon area [cycles in] (W. L. Dallas), [not established; extraterrestrial influences on climatic phenomena unimportant] (C. Abbe), 1 p., 161.
 Relation of forests to rainfall [especially in California] (W. F. Hubbard), 2 p., 24.
 Abyssinia. Relation to Nile flood and east African pressure and monsoon, 228 c.
 Africa. Nigeria. Deficient in 1904, 375 d.
 Nyasaland. Normal annual rainfall, 375 b.
 Alaska. (Current record.) In Table II, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.
 Orca. Excessive 24-hour, *†275 c.
 Unalaska. Greatest number of rainy days, *275 c.
 Arizona. Salton Sea and the rainfall of the Southwest (A. J. Henry), 2 p., 557.
 Austria. Hermsburg. 522 b.
 Austria-Hungary. Precipitation in north German river basins, 328 b.
 Belgium. Precipitation in the north German river basins, 328 b.
 California. Campo. *464 c.
 Canada. [Monthly summary.] In Weather of the Month, 37, 88, 135, 179, 232, 284, 334, 382, 431, 483, 534, 586.
 St. John. (Current record.) Table II, 52, 101, 149, 193, 247, 299, 348, 396, 445, 497, 549, 601.
 Caroline Islands. Kusaie. Heavy annual, *276 a.
 Central America. Honduras, Belize. 522 a.
 Europe. Heaviest in, 522 b.
 France. Precipitation in the north German river basins, 328 b.
 German New Guinea. Tami. Heavy annual, *†276 b.
 Gold Coast Colony. Gambaga. 522 b.
 India. Cherra Punji. Heavy annual, *†276 b.
 Lalakhal. Heavy annual, *†276 b.
 Mâkolmpeth. Heavy annual, *†276 b.
 Kamerun. Debundja. Heavy annual, *†276 b.
 Minnesota. Minneapolis. 1866-1901; ten-year and period averages, 201 d.
 Netherlands. Rainfall in, 522 a.

Precipitation—Continued.

- New South Wales. Mean annual rainfall map of (C. Abbe); 73.
 Nicaragua. Greytown. Heavy annual, *†276 b.
 Russia. Precipitation in the north German river basins, 328 b.
 Solomon Islands. Tulagi. Rainfall of, 462 b.
 United States. Accumulated amounts for each five minutes for certain storms. In Table IV, 55, 104, 151, 196, 249, 301, 350, 398, 448, 500, 551, 603.
 Annual Summary, 618.
 (Current monthly record.) In Table II. 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.
 Greatest number of rainy days, *275 c.
 Monthly and annual departure from the normal, 628.
 (Monthly summary.) In Weather of the Month, 37, 88, 135, 179, 232, 284, 334, 382, 430, 483, 533, 586.
 Total monthly. Chart IV, Ja.-D., and Annual Summary.
 Virginia. Guinea. †406.
 West Africa. Togo. 425 a.
 West Indies. Haiti. Anse-à-Veau. Heavy rain, *71 d.
 Bombardé. Mean, 1774-85, *69 a.
 Cape Haitien. Years of heavy rain, 68 a.
 Cavaillon. Heavy, August 16, 1788, *†72 a.
 Le Borgne. Heavy rain, *†68 a.
 Léogane. Mean and extreme annual, 1761-80, *71 d.
 Le Trou. 1783-86, 66 a.
 Port Margot. Heavy rains, 1784, 68 c.
 Jamaica. (Current record), 60, 156, 200, 253, 305, 356, 404, 449, 503, 555.
 Porto Rico. (Current monthly record), Table II, 52, 101, 149, 193, 247, 299, 348, 396, 445, 497, 549, 601.
 Distribution of rainfall over the island of Porto Rico during the passage of the hurricane of August 8, 1899. Jl., Chart VIII.
 Mean annual precipitation. Jl., Chart VII.
 Mean monthly precipitation, 320 a. Greatest daily precipitation, 320.
 Canóvanas. Monthly (1889-1905), 319 c. Number of rainy days, 319 c. Excessive, 319 b.
 Perla. Monthly, 1896-1904, 320 a. Number of rainy days, 320 c.
 San Juan. Hourly, 1902, 318 b. Monthly (1867-1905), 319 a.
 Premature publication (C. Abbe), 463.
 Pressure. See also Aerial observations.
 Abyssinian rainfall and pressure in northeastern Africa, 228 d.
 Centers of action. Possible extension of the periods of weather forecasts [correlation of American weather with pressure distribution at the "centers of action"] (E. B. Garriott) 1 p., 22.
 Change with elevation, 577 c.
 Cyclones and anticyclones. Coordination of the velocity, temperature, and pressure in the cyclones and anticyclones of Europe and North America. (F. H. Bigelow), 4 p., 74.
 Difference of pressure between land and sea when sea breeze is blowing, 461 b.
 Distribution of, during West Indian hurricanes of September, 1906, 417 a.
 Diurnal curve, harmonic analysis of, 528.
 Diurnal variation of the barometer (C. Abbe), 161.
 Effect on evaporation of ice, 527 c.
 Gradients. Formulas for, 470 c.
 Harmonic analysis of the diurnal barometric curve at Washington, D. C. (W. J. Bennett), 3 p., 528.
 High areas, tracks of centers. Chart II, Ja.-D.
 Horizontal convection in cyclones and anticyclones, 562.
 Low areas, tracks of centers. Chart III, Ja.-D.
 Meteorological conditions associated with the Cottage City waterspout. (F. H. Bigelow), 360.
 Periodicity. Pressure and rainfall over the Indian monsoon region [cycles in] (W. L. Dallas) [not established; extraterrestrial influences on climatic phenomena unimportant], (C. Abbe), 1 p., 161.
 Pressures given in the Monthly Weather Review are reduced to standard gravity, 1st page of each number.
 Relation between storm movement and pressure distribution (E. H. Bowie), 3 p., 61.
 Relation between velocities of progression of lows and areas of rising and falling pressure accompanying them (S. Hanzlik), 5 p., 205.
 Relation between wind velocities and atmospheric pressures, 470 a.
 Subpermanent areas of high and low, 162 b.
 Alabama. Mobile. Barogram of September 26-28, 1906, 422 b.
 Austria. Mean atmospheric, 519 b.
 Bering Sea. Low area as "center of action", 22 d.
 Florida. Pensacola. Barogram of September 26-28, 1906, 422 a.
 India. Elict's charts, 374 d.
 Louisiana. New Orleans. Barogram of September 26-28, 1906, 419 a.
 Rose Mount. Barograms, 260.
 Russia. Siberia. High area as a "center of action", 22 c.
 United States. [Annual Summary], 617.
 Isobars and isotherms at sea-level and surface wind resultants. Chart VI, Ja.-D., and Annual Summary.

Pressure—Continued.

[Monthly summary], in Weather of the Month, 36, 87, 134, 179, 232, 283, 333, 381, 430, 483, 533, 585.

Washington, D. C. Harmonic analysis of diurnal curve, 528.

Problems in meteorology (C. F. von Herrmann), 6 p., 574.

Proctor, Frank W. Vertical air currents, 78.

Psychrometry. See Aqueous vapor.

Publications. See also Bibliography; Monthly Weather Review; Revue Néphologique.

Climatological reports from the Philippines, 517 d.

Egyptian Survey Department. [Meteorological scope of], (H. G. Lyons), 163.

Eighth International Geographic Congress [list of meteorological papers in report of], (C. Abbe), 118.

Physical societies and journals (C. Abbe), 1 p., 329.

Publication of the Chicago memoirs (C. Abbe), 159.

Recent additions to the Weather Bureau Library, 26, 81, 119, 174, 219, 278, 330, 380, 427, 467, 522, 582.

Restriction on, and their distribution, 224.

Style of meteorological (C. F. Talman), 160.

Radiation. From the earth to space, 463 c.

Method of measuring radio-activity in the atmosphere, 19 b.

Radio-activity in the atmosphere in Lapland, 19 c.

Source of radio-active matter in the atmosphere, 17 c.

Railroads. The Asiatic railroads and the progress of meteorology, 326 d.

Rain. See also Precipitation. Foretold by halos, 423 c, 573 d.

Rainbow. Lunar, at Tampa, Fla., 518 b.

Rainbows. Distorted bows, 359 a.

Explanation of [J. M. Pernier], 358 c.

Theory of (W. Le Conte Stevens), 2 p., 170, Plate II, Ap.

Rainier, Mount. [Cloud banners on], (G. N. Salisbury), 158 d.

Rauhfrost. The international symbol for (H. H. Clayton), 357 b.

Records. Where are the old records of Haiti? (C. Abbe; J. Bouzon), 126.

Red River. Hydrographs of, Chart I, Ja.-D.

Reed, Jr., W. F. Severe hailstorm at Pensacola, Fla., 122.

Relative Humidity. See also Aerial observations, Humidity.

Arizona. Yuma, 558 d.

United States. Monthly and annual departure from the normal, 628. (Monthly summary.) In Weather of the Month, 38, 88, 136, 179, 232, 284, 335, 383, 431, 484, 534, 586.

Report of the Chief of the Weather Bureau, 8 p., 609.

Reprints of works on meteorology, (C. Abbe), 462 d.

Research. See What is research?

Resistance. Coefficient of, for air, 474 b.

Resistance to a solid moving in a fluid, 473 b.

Revue Néphologique. Nephological Review (C. Abbe), 158.

Richard, Jules. [Barograph, weighted aneroid], 324 b.

Richter, F. [Protection against frost in France], 80 a.

Ridgway, Frank. Appointment of, as commissioner of public safety, 120.

Riem, Johann. Cosmic relations of the atmosphere, 160.

Rife, C. F. Q. on rainfall of Kusae, 276 a.

Rigge, William F. Time of moonrise and moonset, 2 p., 20.

Rivers. See also Floods; Nile River; Sacramento River.

Height of rivers. Extreme and mean stages, with danger-line or flood stage. In Table VI, 57, 106, 153, 198, 251, 303, 353, 400, 450, 501, 552, 604; Table V, 625.

Hydrographs for seven principal rivers: Arkansas, Cumberland, Mississippi, Missouri, Ohio, Red, Tennessee. Chart I, Ja.-D.

Publication of river-gage readings (C. Abbe), 82.

Relation of weather to flow of, 405.

Rivers and floods. In Forecasts and Warnings, 32, 86, 133, 176, 230, 283, 332, 381, 430, 481, 532, 584, 617.

Germany. Precipitation in the north German river basins, 328 b.

West Indies. Porto Rico, 324 a.

Rizzo, G. B. Director of the weather service of Messina, 374 c.

Roentgen Rays. Ionization by, *17 c.

Rolls, or rollers. See Snow.

Rose, Mount. Mount Rose weather observatory [temperature, pressure, etc., data], 8 p. (J. E. Church, Jr.), 255.

Ross, D. Hope. [Hurricane of September 1, 1906], 417 c.

Ross, Dan. [Hurricane of October, 1906], 479 c.

Roumania. Droughts, 424 d.

Rozet, Cl. Observations of shadow bands without an eclipse (abstract), 1 p., 227.

Russia. Precipitation in the north German river basins, 328 b.

St. Petersburg. Mean temperature, by periods, 1743-1875, 202 a.

Weather reports cabled to the United States, 408 a.

Siberia. Area of high pressure as a "center of action", 22 d.

Ruwenzori. Fogs of, 374 d.

Sacramento River. Highest stage at Marysville, Cal., *33 a.

St. John. See Canada.

St. John's Summer, 70 b.

St. Kitts. See West Indies.

St. Méry, Médéric-Louis-Elie-Moureau de. Q. on climate of Haiti, 64 b.

St. Petersburg. See Russia.

St. Thomas. See West Indies.

Salisbury, George N. [Cloud banners on Mount Rainier], 158 d.

Salton Sea and the rainfall of the Southwest (A. J. Henry), 2 p., 557.

Sandstorms. Colors of dust haze, 163.

San José. See Costa Rica.

San Juan. See West Indies, Porto Rico.

Santa Anna wind, 465 a.

Saxony. Meteorological Institute of (C. Abbe), 228.

Schaeberle, J. M. Q. on solar emanations, 160 b.

Scheitelwerte. Importance of frequency values in climatology, 275 d.

Schreiber, Paul. [Temperature means, determined from tridaily observations], 424 c.

Scotland. International weather cablegrams (E. B. G[arriott]), 408 b.

Scott, R. H. Q. on "Silver thaw" and "Glazed frost", 357 b.

Sea breeze. Difference of pressure between land and sea, 461 b.

Searle, Arthur. The zodiacal light, 1 p., 408.

See, T. J. J. Height of the atmosphere determined from the time of disappearance of blue color of the sky after sunset, 414 a.

Seiches. The seiche and its mechanical explanation (H. Ebert; abstract of G. Chrystal's memoir), 226.

Seismographs. Improvements in seismographs with mechanical registration (C. F. Marvin), 212.

Of the Central Bureau of the International Seismological Association, 377 d.

Seismology. International Seismological Association (Prof. Dr. G. Gerland), 377 d.

Study of, in U. S. Weather Bureau, 613 c.

Seistan. See Persia.

Selenium. Photoelectric properties of selenium cells (K. E. Guthe), 1 p., 223.

Seright, W. E. Tornado of April 12, 1906, at Stafford, Kans. [with photograph], 276.

Shadow bands. Observations of shadow bands without an eclipse (C. F. Talman), 1 p., 227.

Siberia. See also Russia.

International weather cablegrams (E. B. G[arriott]), 408 a.

Sicily. Climatological service of Messina, established, 374 b.

Silver thaw. The international symbol for (H. H. Clayton), 357 a.

Simpson, George C. Atmospheric electricity, 2 p., 16.

Atmospheric electricity in high latitudes [Finnmark], 2 p., 18.

Q. on atmospheric electricity and the formation of ions, 121 b.

Sinnot, C. P. Topics in meteorology prepared by, 218 d.

Sirocco. Colored haze from, 163 b.

Skinner, Robert P. Prevention of damage by frost, 1 p., 79.

Sleet. Weight of, on suspended wires, cables, and bridges; observations requested, 423 c.

Smith, D. T. Storm, the energy of a, 280 b.

Smith, J. W. Boston forecast district, 32 a, 86 b, 132 b, 176 a, 230 a, 282 d, 332 b, 381 a, 429 c, 480 b, 531 c, 584 a.

Smith, J. Warren. Suggestions as to teaching the science of the weather, 4 p., 453.

[Waterspout of August 19, 1896], 312 b.

Smith, Wellington. Structure of hailstones, 1 p., 277.

Smyth, C. Piazzi. (Zodiacal light), 408 d.

Snow. See also Precipitation.

Cloudless. Snow formed by mixture of warm and cold air (R. W. Gray; C. Abbe), 78.

Foretold by halos, 423 c, 573 d.

Snow rollers, 1 p., 325.

Snow rollers (C. Abbe), 326 d.

Stream flow, relation of snowfall to, 405.

Alaska. (Current record.) In Table II, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.

Canada. St. John. (Current record.) In Table II, 53, 101, 149, 193, 247, 299, 348, 396, 445, 497, 549, 601.

Kentucky. Earliest, 480 c.

United States. Formed by vapor from equatorial regions, *163 d.

Total snowfall. In Tables I, II, Ja.-D.

Total snowfall and depth on ground. Charts VII, VIII, Ja.-My., O.-D.

Snowstorms. Cause of higher temperature accompanying, 163 d.

Societies. Astronomical Association, 378 b.

International Seismological Association (Prof. Dr. G. Gerland), 377 d.

Physical societies and journals (C. Abbe), 1 p., 329.

Royal Astronomical Society of London, 378 b.

Soil. The atmosphere and the (M. Whitney), 416 b.

Solar physics. Kodaikanal solar physics observatory (H. H. Kimball), 2 p., 220.

Solar relations. Theory of, in relation to auroras, magnetism, etc., does not require periodicity of latter. Movement of solar emanations in relation to the earth's orbit, 160 b.

Solomon Islands. Rainfall of Tulagi, 1897-1905, 462 b.

Sonora storms and Sonora clouds of California, 1 p., 464.

South Carolina.

Charleston. Hurricane of September 16-17, 1906, 418 b.

Spiculae.

Ice. Orientation of, in producing halos and coronæ [J. M. Pernter], 357 d.

Springs. Porto Rico, 315 d.

Stars. On the conditions determining the formation of cloud spheres and photospheres (A. W. Clayden), 3 p., 167, Plate I, Ap.

Stations.

Climatological. Distribution thruout the world, 374 a.

Meteorological. Africa. Gold Coast Colony, 425 c.

Europe. Iceland, 461 c.

United States. Increase in number during 1906, 610 d.

West Indies. Haiti, 520 d.

Mountain, for forecast work, 520 b.

Stetson, Frank Owen. Explanation of the table of excessive precipitation, 416 a.

Influence of the ocean upon continental precipitation, 161.

Steveninck, W. de Ruyter van. [Relation between atmospheric electricity and rain], 121 a.

Stevens, W. LeConte. Theory of the rainbow [review of Pernter], 2 p., 170, Plate II, Ap.

Stockman, Wm. B. Description of tables and charts, 38, *88, *136.

Weather of the Month, 36, 87, 134.

Storms. Energy of a storm (D. T. Smith), 280 b.

Sonora storms, 464.

Atlantic Ocean. S. 30°O. 3, 1906, 478 b.

Atlantic States. 1906, Ja., *31 d, 32 a.

Lake region. 1906, Ja., 32 b.

Northern Rocky Mountain States (Colorado, Wyoming, Montana, and Idaho), 1906, Ja., 31 d, 32 c.

United States. N. 1906, 531 a.

Strassburg. Observatory of the International Seismological Association, 377 d.

Streams. Relation of weather to flow of, 405.

Stupart, R. F. Summary of Canadian weather, in Weather of the Month, 37, 88, 135, 179, 232, 284, 334, 382, 431, 483, 534, 586.

Summer. St. John's summer, 70 b.

Sunsets. Krakatoa dust versus Krakatoa vapor (C. Abbe), 163.

Sunshine. Costa Rica. San José. (Current record), 60 c, 156 d, 355 d.

Sunshine recorders. Photoelectric properties of selenium cells (K. E. Guthe), 1 p., 223.

Sun spots. Frequency of, and variability in temperature, 425 b.

Symbols. The International (H. H. Clayton), 357 a.

Tables. Description of tables and charts, 38, *88, *136, *180, *233, *285, *335, *383, *432, *484, *536, *588.

Talman, C[harles] Fitzhugh. Climatology of Haiti in the eighteenth century, 9 p., 64.

Meteorological work in China, 1 p., 225.

Monthly review of the progress of climatology thruout the world, 228, 275, 326, 374, 423, 461, 521.

Observations of shadow bands without an eclipse, 1 p., 227.

Recent additions to the Weather Bureau library, 330.

Recent papers bearing on meteorology, 331.

Style of meteorological publications, 160.

The first daily weather maps from China, 1 p., 376.

Tami. See German New Guinea.

Tamura, S. Tetsu. Appeal for an aerophysical observatory in Japan, 1 p., 28.

Temperature. See also Aerial observations.

Asymmetric cyclones and anticyclones in Europe and America (F. H. Bigelow), 1 p., 9.

Cause of higher temperature with snowstorms, 163 c.

Coordination of the velocity, temperature, and pressure in the cyclones and anticyclones of Europe and North America (F. H. Bigelow), 4 p., 74.

Difference of temperature between Mount Royal and McGill College observatory, 505.

Effect on evaporation of ice, 527 c.

Horizontal convection in cyclones and anticyclones, 562.

Influence of water areas. See Climate, influence of water areas.

Inversion of, in northern Norway, 18 d.

Land and sea winds caused by differences in [M. Kaiser], 460 d.

Mean annual, as affecting sea winds, 410 d.

Means, determined from tridally observations, 424 c.

Meteorological conditions associated with the Cottage City waterspout (F. H. Bigelow), 360.

Peculiar temperature fluctuation (W. Upton), 122.

Periods of high abnormal April [1906] temperatures in New South Wales (H. A. Hunt), 225.

Periods of high, 1906, Ja., 32 a b.

Variability and the frequency of sun spots, 425 b.

Variability in northern Germany, 425 b.

Variation in, over a limited area (W. I. Milham), 3 p., 370.

Vertical distribution. Application of the thermodynamic formulae to the nonadiabatic atmosphere (F. H. Bigelow), 7 p., 110.

Vertical distribution in cyclones and anticyclones, 74.

Temperature—Continued.

Warmth of December, 1905, [effect of combustion on temperature] (C. Abbe), 159.

Alaska. (Current record.) In Table II, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.

Extremes, *275 c.

Austria-Hungary. Trieste, 425 a.

Canada. [Monthly summary.] In Weather of the Month, 37, 88, 135, 179, 232, 284, 334, 382, 431, 483, 534, 586.

St. John. (Current record.) Table II, 52, 101, 149, 193, 247, 299, 348, 396, 445, 497, 549, 601.

Germany. Variability in northern Germany, 425 b.

India. Elliot's charts, 374 d.

Minnesota. Five-year average at Fort Snelling and St. Paul, 1822-1901, 201 d.

New South Wales. Abnormal April temperatures in (H. A. Hunt), 225.

Norway. Gjesvoer. Mean winter, *18 d.

Karasjok. Mean winter, *18 d.

Pennsylvania. Philadelphia, 1758-1889. Means, by periods, 202 a.

Rose, Mount. Extremes and thermograms, 258 b, 259.

Russia. St. Petersburg. Means, by periods, 1743-1875, 202 a.

Texas. Abnormally high, then low, 458 b.

United States [Annual Summary], 617.

Average monthly and annual departures from the normal, 627.

Current monthly record. In Table II, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.

Isobars and isotherms at sea level; surface wind resultants.

Chart VI, Ja.-D., and Annual Summary.

[Monthly summary.] In Weather of Month, 36, 88, 134, 179, 232, 283, 334, 381, 430, 483, 533, 585.

West Indies. Porto Rico. Climatology of Porto Rico (W. H. Alexander), 316 a.

(Current monthly record.) Table II, 53, 101, 149, 193, 247, 299, 348, 396, 445, 497, 549, 601.

San Juan. Mean hourly, 317 a. Mean monthly, 317 a. Maximum, 317 b. Maximum, dates, 317 c. Minimum, 317 d. Minimum, dates, 318 c.

Tennessee River, Ky. Hydrographs of. Chart I, Ja.-D.

Texas. Temperature, abnormally high, then low, 458 b.

Galveston. Direction of winds as affected by contiguous areas of land and water, 410.

Thermometers. Differential, 505 b.

Electrical resistance, 505 b.

Elevation above ground. In Table I, 40, 89, 137, 181, 234, 286, 336, 384, 433, 485, 537, 589.

Reading of, to tenth of a degree (G. Eiffel), 359 c.

Thornton, W. F. [Hurricane of October, 1906.] 479 d.

Thunderstorms. Primary cause of (F. H. Bigelow), 370 a.

Thunderclouds (J. P. Gibson), 31 c.

Winds preceding, in Haiti, *72 c.

Florida. Pensacola, March 28, 1906. Severe hailstorm at (W. F. Reed, jr.), 122.

Illinois. May 30, 1906. Destructive local storm near Paris (E. O. Laughlin), 220.

United States. Total number of days with, during 1906, 624.

West Indies. Haiti, *65 b, 67 c.

October 2, 1764, *65 d.

Porto Rico. 316 d.

San Juan, 323 b.

Tides. Early knowledge of the tides at Panama. (R. A. Harris), 1 p., 80.

Storm. Highest at various points, 423 b.

Time. Time used in the Monthly Weather Review. 1st page of each number, Ja.-D.

Togo. (West Africa.) Precipitation, 425 a.

Tompkins, C. W. [Heavy rainfall at Guinea, Va.], 406 d.

Topography. Porto Rico, 315 c.

Tornadoes. Cyclones should not be confused with, 165 b.

Primary cause of (F. H. Bigelow), 370 a.

Tornado winds. [Explosive effect], (J. P. Gibson), 30 d.

Australia. Tornado in Australia. Mr. 27, 1906, 227.

Georgia. Albany. Ja. 8, 1906, *31 d.

Kansas. Stafford. April 12, 1906 (W. E. Seright), [with photograph], 276.

Louisiana. New Orleans. October 5, 1906, 479 a.

Minnesota. June 6, 1906, 561 c.

Mississippi. Meridian. March 2, 1906. Tornado at Meridian, Miss. (L. A. Denson), 1 p., †118.

North Carolina. Mooresville and Salisbury. Ap. 5, 1905, 30 d.

United States. [Frequency of], (C. Abbe), 84 c.

Wisconsin. June 6, 1906. Tornado of June 6, 1906, near La Crosse, Wis. (G. A. Oberholzer), 1 p., 274.

June 6, 1906 (T. S. Outram), 561 c.

Transeau, E. N. Phenological study, 224.

Trieste. See Austria-Hungary.

Trieste Observatory. Change of title, 220.

Turkish Empire.

Beirut. On the climate of Beirut [S. Kostlivy], 327 c.

United States. Climatology of the United States [A. J. Henry], 376 a.

Cloudiness. Monthly and annual departure from the normal, 628.

Monthly summary of cloudiness. In Weather of the Month, 38, 88, 136, 180, 233, 284, 335, 383, 431, 484, 535, 587.

Number of clear, partly cloudy, and cloudy days. In Table I, 40, 89, 137, 181, 234, 286, 336, 384, 433, 485, 537, 589, 621.

Observations. Current monthly record. In Table I, 40, 89, 137, 181, 234, 286, 336, 384, 433, 485, 537, 589, 621.

Precipitation. Accumulated amounts for each five minutes for heavy rains. In Table IV, 55, 104, 151, 196, 249, 301, 351, 398, 448, 500, 551, 603.

[Annual Summary], 618.

Current monthly record. In Table II, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.

Greatest number of rainy days, *275 c.

Monthly and annual departure from the normal, 628.

(Monthly summary.) In Weather of the Month, 37, 88, 135, 179, 232, 284, 334, 382, 430, 483, 533, 586.

Total monthly. Chart IV, Ja.-D., and Annual Summary.

Pressure. Isobars and isotherms at sea level; surface wind resultants. Chart VI, Ja.-D., and Annual Summary.

[Monthly summary.] In Weather of the Month, 36, 87, 134, 179, 232, 283, 333, 381, 430, 483, 533, 585.

Relative Humidity. Monthly and annual departures from the normal, 628.

(Monthly summary.) In Weather of the Month, 38, 88, 136, 179, 232, 284, 335, 383, 431, 484, 534, 586.

Snow. Formed from vapor from equatorial regions, *163 d.

Total snowfall. In Tables I, II, Ja.-D.

Total snowfall and depth on ground. Charts VII, VIII, Ja.-My., O.-D.

Temperature. Annual Summary, 617.

Current monthly record. In Table II, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.

Isobars and isotherms at sea level; surface wind resultants. Chart VI, Ja.-D., and Annual Summary.

Monthly and annual departure from the normal, 627.

[Monthly summary.] In Weather of the Month, 36, 88, 134, 179, 232, 283, 334, 381, 430, 483, 533, 585.

Thunderstorms. Number of days with, during 1906, 624.

Wind. Resultant direction. (Current monthly record). In Table III, 54, 103, 150, 195, 248, 300, 350, 397, 447, 499, 550, 602. Annual record, 623.

Velocities of 50 miles per hour. (Monthly record.) In Weather of the Month, 38, 88, 135, 180, 233, 284, 335, 382, 431, 484, 535, 587.

U. S. Weather Bureau. Opportunities of the weather service, 120.

Report of Chief of, for year ending June 30, 1906, 609.

Statistics of the service, 616 a.

Upton, Winslow. Peculiar temperature fluctuation, 122.

Vapor. Weight of aqueous vapor, 579 a.

Vapor tension. Meteorological conditions associated with the Cottage City waterspout (F. H. Bigelow), 360.

Variability of temperature in northern Germany, 425 b.

Variation in temperature over a limited area (W. I. Milham), 3 p., 370.

Velocity. Maximum velocity of raindrops in the lower atmosphere, 511 a.

Probable sustaining vertical velocity for hailstones, 478 d.

Vertical velocity that just sustains a falling body, 470 a.

Villard, P. Theory of the aurora [Reviewed], 572.

Vincent, J. Vincent's bibliography of treatises on meteorology, 162.

Vintage. Average of vintage dates at Dijon, France, 202.

Virginia. Climatological data, 460 a.

Guinea. Phenomenal rainfall, 406.

Mount Weather. Kite flight of April 5, 1906, at Mount Weather Observatory [to 9000 feet; pressure, temperature, humidity, and wind], (O. L. Fassig), 1 p., 125.

Viscosity. Coefficient of viscosity for air, 474 b.

vom Saal, F. C. V. H. [Waterspout of August 19, 1896], 313 a.

von Herrmann, C. F. Problems in meteorology, 6 p., 574.

von Humboldt, Alexander. [Zodiacal light], 408 d.

Wagner, Max. [Waterspout of August 19, 1896], 309 c.

Walz, F. J. Louisville forecast district, 32c, 86 b, 132c, 176 a, 230 b, 282 d, 332 b, 429 d, 480 c, 531 d, 584 b.

Ward, F. W. [Waterspout of August 19, 1896], (photograph), 313 b

Ward, Robert De Courcy. [Changes of climate], 459 c.

Q. on classification of climates, 416 c.

Rational treatment of climatology, 229 a.

Warmth of December, 1905 (C. Abbe), 159.

Warnings. See Forecasts.

Washington, D. C.

Pressure. Harmonic analysis of diurnal curve, 528.

Water. Influence of small bodies on local climate, 558 b.

Waterfalls.

Porto Rico, 315 d, 323 d.

Waterspouts. The meteorological conditions associated with the Cottage City waterspout (F. H. Bigelow), 360, 470, 511.

Waterspout near Tarrytown, N. Y., July 16, 1904 (M. L. Bacon), 2 p., 272.

Waterspout seen off Cottage City, Mass., in Vineyard Sound on August 19, 1896 (with photographs), (F. H. Bigelow), 8 p., 307.

Water vapor. See Aqueous vapor.

Watts, H. M. International weather cablegrams, 408 b.

Weather. Importance of weather types in climatology, 229 a.

Of New York City, not influenced by Gulf Stream, 465 b.

Relation between clouds and subsequent weather, 581 c.

Weather relations. Possible extension of the period of weather forecasts [correlation of American weather with pressure distribution in the "centers of action"], (E. B. Garriott), 1 p., 22.

Pressure in Africa and rainfall in Abyssinia, 228 c.

Weather reports. International cablegrams, 408 a.

Weather services. See also Australia, Japanese, Philippines, Sicily, and U. S. Weather Bureau.

Webster, E. S. Structure of hailstones, 109.

West Indies. Hurricanes of September, 1906 (E. B. Garriott), 7 p., 416. Hurricane of October, 1906, 479 b.

Pressure. Distribution during hurricanes of September, 1906, 417 a.

West Indian chart (C. Abbe), 224.

Bahamas. Nassau. Mean temperature at 1000 meters, *110 a.

Cuba. Hurricane of October, 1906, 479 b.

Grand Turk. Observations. (Current record.) In Table I, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 591.

Resultant wind direction. In Table III, 54, 103, 150, 195, 248, 300, 350, 397, 447, 499, 550, 602.

Haiti. Climatology of, in the eighteenth century (C. F. Talman), 9 p., 64.

Drought of 1772-73, *+69 a.

Drought of 1776, *66 c.

Drought of 1779-80, *+69 b.

Drought of 1785-86, *+66 a.

Meteorological stations, 520 d.

Anse-à-Veau. Heavy rain, *71 d.

Bombarde. Mean precipitation, 1774-85, 69 a.

Cape Haitian. Years of heavy rain, 68 a.

Cavaillon. Heavy rain, August 16, 1788, *+72 a.

Le Borgne. Heavy rain, *+68 a.

Léogâne. Mean and extreme annual precipitation, 1761-80, *71 b.

Le Trou. Precipitation, 1783-86, 66 a.

Petite-Anse. Brief summary of observations, 1784-86, 67 b.

Port Margot. Heavy rain, 1784, *68 c.

Jamaica. Precipitation. (Current record), 60, 156, 200, 253, 305, 356, 404, 449, 503, 555.

Porto Rico. Climatology of Porto Rico from 1867 to 1905, inclusive (Wm. H. Alexander), 8 p., 315.

Fogs, 316 d.

Hail, 316 d.

Hurricanes. Distribution of rainfall over the island of Porto Rico during the passage of the hurricane of August 8, 1899. Jl. Chart VIII.

Precipitation. Average monthly, 320 a. Greatest daily, 320, 2 p.

Current monthly record of. Table II, 52, 101, 149, 193, 247, 299,

348, 396, 445, 497, 549, 601.

Distribution of, 316 b.

Mean annual. Jl. Chart VII.

Rivers, 324 a.

Springs, 315 d.

Temperature. Current monthly record. Table II, 52, 101, 149, 193, 247, 299, 348, 396, 445, 497, 549, 601.

Temperature, distribution of, 316 a.

Thunderstorms, 316 d.

Topography of, 315 c.

Waterfalls of, 315 d, 323 d.

Winds of, 316 d.

Canóvanas. Precipitation. Monthly (1889-1905), 319 c. Number of rainy days, 319 c. Excessive, 319 b.

Perla. Precipitation. Monthly (1896-1904), 320 a. Number of rainy days, 320 c.

San Juan. Observations (current record). In Table I, 42, 91, 139, 183, 236, 288, 338, 386, 435, 487, 539, 591.

Precipitation. Hourly (1902), 318 b. Monthly (1867-1905), 319 a.

Resultant wind direction. In Table III, 54, 103, 150, 195, 248, 300, 350, 397, 447, 499, 550, 602; Table II, 623.

Temperature. Maximum, 317 b. Maximum, dates of, 317 c.

Mean hourly, 317 a. Mean monthly, 317 a. Minimum, 317 d.

Minimum, dates of, 318 c.

Thunderstorms, 323 b.

Wind. Average hourly movement, 323 a.

St. Kitts. Basseterre. Hurricane of September 1, 1906, 417 c.

West Indies—Continued.

Temperature and precipitation (current record). In Table II, 52, 101, 149, 193, 247.

St. Thomas. Hurricane of September 1, 1906, 417 c.

What is research? [Experiment Station Record.] 1 p, 377.

Whirlwinds. Convection theory of (C. Abbe), 1 p, 164.

White, Captain. [Hurricane of October, 1905], 5 b.

Whitney, Milton. Q. from address on "Soil Fertility", 416 b.

Willaume-Jantzen, L. V. S. Subdirector of the Danish Meteorological Institute, 461 c.

Willsea, J. B. Halo of March, 1906, 123 c.

Wilson, Herbert M. [Topography of Porto Rico], 315 d.

Winds. See also Harmattan, Santa Anna, Sirocco.

Direction of, as affected by contiguous areas of land and water [special reference to Boston, Chicago, Cleveland, Eastport, Galveston, Marquette, New Haven, New York, San Diego, San Francisco, Savannah, and Toronto], 4 p., 410.

Formulas for wind velocities, 470 c.

Hourvari, preceding thunderstorms in Haiti, 72 c.

Land and sea winds of the Baltic coast of Germany, [review of M. Kaiser], (C. Abbe), 460.

Relation between wind velocities and atmospheric pressures, 470 a.

Upper. Observed by pilot balloons, 414 b.

Velocity. Coordination of the velocity, temperature, and pressure in the cyclones and anticyclones of Europe and North America (F. H. Bigelow) 4 p., 74.

Vertical air currents (F. W. Proctor), 78.

Antarctic regions. [Warm southerly] (C. Markham) 163.

Arizona. Yuma. General direction and force, 558 c.

Persia. Seistan, *462 c.

United States. Isobars and isotherms at sea-level; surface wind resultants. Chart VI, Ja.-D. and Annual Summary.

Resultant direction (current monthly record) in Table III, 54, 103, 150, 195, 248, 300, 350, 397, 447, 499, 550, 602. Annual record, 623.

Velocities of 50 miles per hour (monthly record), in Weather of the Month, 38, 88, 135, 180, 238, 284, 335, 382, 431, 484, 535, 587.

West Indies. Porto Rico, 316 d.

San Juan. Average hourly movement, 323 a.

Wireless telegraphy. Meteorological reports from ocean steamships, 609 d.

Wood, R. W. [Green sun of the Krakatoa eruption], 408 a.

The meteorological optics of Prof. J. M. Pernter, 2 p., 357.

Wurtz, G. B. Louisville forecast district, 381 a.

"X". Improved methods of finding altitude and azimuth, geographical position, and the variation of the compass. Second article, 2 p., 7.

X Rays. Ionization by, *17 c.

Yap. Caroline Islands. New station in, 276 a.

Zi-ka-wei Observatory. Begins publication of daily weather map, 376 c.

Zodiacal Light. Is it meteorological or astronomical? 131.

The: (A. Searle), 1 p., 408.

The: (M. Hall), 4 p., 126.

CHRONOLOGICAL INDEX OF SPECIAL PHENOMENA.

1680. August. Hurricane in Haiti, *+68 a, 71 d, 72 b.

1716. October. Flood in Haiti, *71 b c.

1724. July. Flood in Haiti, *71 b c.

1726. Drought in Haiti, *+68 a, 71 d.

1732. Frequent rains in Haiti, *68 a.

1733. Flood in Haiti, *69 c.

1735. May. Destructive rains in Haiti, *68 a.

1737. September. Hurricane in Haiti, *+72 a.

1741. September. Hurricane in Haiti, *+72 a.

1743. Drought in Haiti, *68 a.

1744. Drought in Haiti, *69 c.

1751. Hurricanes in Haiti, *70 c d, 72 a b.

1752. Destructive rains in Haiti, *68 a.

1753. Drought in Haiti, *68 a.

1754. Drought in Haiti, *69 a.

1756. Hurricane in Haiti, *72 b.

1757. Drought in Haiti, *68 a.

1761. Flood in Haiti, *+72 a.

1764. Drought in Haiti, *+68 a, *71 c.

October. Thunderstorm in Haiti, *65 d.

November. Hurricane in Haiti, *+68 a.

1766. April. Destructive rains in Haiti, *68 a.

1769. Drought in Haiti, *68 a.

1770. Earthquake in Haiti, *+70 c.

1772. Drought in Haiti, *+69 a, *+71 d.

Heavy rains and floods in Haiti, *68 a.

August. Hurricane in Haiti, *68 a, *72 b.

September. Hurricane in Haiti, *72 d.

Drought in Haiti, *+69 a, 71 d.

Drought in Haiti, *68 a.

1775. August. Hurricane in Haiti, *+72 b, d.

1776. Drought in Haiti, *66 c, 68 a.

1777. Drought in Haiti, *+69 c.

1778. Drought in Haiti, *68 a.

1779. Drought in Haiti, *68 a, *+69 b.

1780. Drought in Haiti, *68 a, *+69 b.

July. Auroras observed in Haiti, *71 c.

1781. Drought in Haiti, *68 a, 71 d.

September. Hurricane in Haiti, *72 d.

Drought in Haiti, *71 d.

Drought in Haiti, *+70 a.

June. Hailstorm in Haiti, *+65 d.

1785. Drought in Haiti, *+66 a, *68 a, *72 c.

Floods in Kansas, 579 d.

1786. Drought in Haiti, *+66 a.

Drought in Haiti, *+68 a.

May. Hailstorm at Boucassin, Haiti, *+70 a.

1787. Frequent rains in Haiti, *68 a.

May. Hailstorm at Fond-Baptiste, Haiti, *+70 a.

1788. August. Hurricane in Haiti, *+70 c, d, *72 b.

1789. August. Hailstorm at Croix des Bouquets, *+70 b.

1844. Floods in Kansas, 579 d.

1860. Drought in Kansas, 580 b.

1867. October. Hurricane in St. Thomas, 166 b.

1880. August. Hurricane in Jamaica, 167 a.

1886. August. Hurricane in Jamaica, 165 d.

1889. Tornado in New South Wales, *228 a.

1890. Tornado in New South Wales, *228 a.

1891. Tornado in New South Wales, *228 a.

1893. Tornado in New South Wales, *228 a.

1894. Tornado in New South Wales, *228 a.

1895. Tornado in New South Wales, *228 a.

1896. August. Waterspout at Cottage City, Mass., 307, 360.

December. Tornado in New South Wales, *228 a.

1899. August. Hurricane and heavy rainfall in Porto Rico, 316 d. Chart VIII, Jl.

1901. Tornado in New South Wales, *228 a.

1902. January. Tornado in New South Wales, *228 a.

April. Tornado in New South Wales, *228 a.

August. Hurricane in Jamaica, 165 c.

1904. July. Waterspout near Tarrytown, N. Y., 272.

1905. Precipitation, deficient in northern Nigeria, 375 d.

April. Tornado in North Carolina, 30 d.

October. Hurricane in North Atlantic Ocean, 1.

December. High temperatures in eastern United States, 159.

1906. March. Hailstorm in Gulf of Mexico, 226.

March. Tornado in New South Wales, 227.

April. High temperatures in New South Wales, 225.

April. Tornado in Kansas, 276.

June. Tornadoes in Minnesota and Wisconsin, 561 c.

August. Phenomenal rainfall at Guinea, Va., 406.

November. Abnormal temperatures in southern Texas, 458.